

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸収式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力		ガス流量(m <sup>3</sup> N/h)		真発熱量		加熱源消費熱量(kW)		消費電力(kW)				冷房COP	性能確認方法の区分
		kW	USRT	kW	冷房	暖房	冷房	暖房	MJ/m <sup>3</sup> N	冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)		
吸収冷温水機	HAU-BGN120 EXNPA	422	120	337	24.5	30.7	40.6	277	347	6.2	6.2	6.2	6.2	1.49	1.49	B-2	
吸収冷温水機	HAU-BGN150 EXNPA	527	150	422	30.7	38.5	40.6	346	434	6.2	6.2	6.2	6.2	1.50	1.50	B-2	
吸収冷温水機	HAU-BGN180 EXNPA	633	180	507	36.8	46.2	40.6	415	521	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷温水機	HAU-BGN210 EXNPA	738	210	591	42.9	53.9	40.6	484	608	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷温水機	HAU-BGN240 EXNPA	844	240	676	49.1	61.6	40.6	553	695	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷温水機	HAU-BGN300 EXNPA	1,055	300	844	61.3	77.0	40.6	692	868	8.7	8.6	8.7	8.6	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN360 EXNPA	1,266	360	1,000	73.6	91.2	40.6	830	1,028	11.7	11.1	11.7	11.1	1.50	1.51	B-2	
吸収冷温水機	HAU-BGN400 EXNPA	1,407	400	1,000	81.8	91.2	40.6	922	1,028	11.7	11.1	11.7	11.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN450 EXNPA	1,582	450	1,291	92.0	117.7	40.6	1,037	1,328	13.2	12.6	13.2	12.6	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN500 EXNPA	1,758	500	1,291	102.2	117.7	40.6	1,153	1,328	13.2	12.6	13.2	12.6	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN560 EXNPA	1,969	560	1,613	114.5	147.1	40.6	1,291	1,659	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN630 EXNPA	2,215	630	1,613	128.8	147.1	40.6	1,452	1,659	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN700 EXNPA	2,461	700	1,936	143.1	176.5	40.6	1,614	1,991	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN800 EXNPA	2,813	800	2,264	163.5	206.5	40.6	1,844	2,328	17.7	17.2	17.7	17.2	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN900 EXNPA	3,165	900	2,264	184.0	206.5	40.6	2,075	2,328	17.7	17.2	17.7	17.2	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN1000 EXNPA	3,516	1,000	2,695	204.4	245.8	40.6	2,305	2,772	19.5	19.1	19.5	19.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN120 EXNA	422	120	337	24.5	30.7	40.6	277	347	6.2	6.2	6.2	6.2	1.49	1.49	B-2	
吸収冷温水機	HAU-BGN150 EXNA	527	150	422	30.7	38.5	40.6	346	434	6.2	6.2	6.2	6.2	1.50	1.50	B-2	
吸収冷温水機	HAU-BGN180 EXNA	633	180	507	36.8	46.2	40.6	415	521	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷温水機	HAU-BGN210 EXNA	738	210	591	42.9	53.9	40.6	484	608	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷温水機	HAU-BGN240 EXNA	844	240	676	49.1	61.6	40.6	553	695	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷温水機	HAU-BGN300 EXNA	1,055	300	844	61.3	77.0	40.6	692	868	8.7	8.6	8.7	8.6	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN360 EXNA	1,266	360	1,000	73.6	91.2	40.6	830	1,028	11.7	11.1	11.7	11.1	1.50	1.51	B-2	
吸収冷温水機	HAU-BGN400 EXNA	1,407	400	1,000	81.8	91.2	40.6	922	1,028	11.7	11.1	11.7	11.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN450 EXNA	1,582	450	1,291	92.0	117.7	40.6	1,037	1,328	13.2	12.6	13.2	12.6	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN500 EXNA	1,758	500	1,291	102.2	117.7	40.6	1,153	1,328	13.2	12.6	13.2	12.6	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN560 EXNA	1,969	560	1,613	114.5	147.1	40.6	1,291	1,659	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN630 EXNA	2,215	630	1,613	128.8	147.1	40.6	1,452	1,659	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN700 EXNA	2,461	700	1,936	143.1	176.5	40.6	1,614	1,991	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN800 EXNA	2,813	800	2,264	163.5	206.5	40.6	1,844	2,328	17.7	17.2	17.7	17.2	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN900 EXNA	3,165	900	2,264	184.0	206.5	40.6	2,075	2,328	17.7	17.2	17.7	17.2	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN1000 EXNA	3,516	1,000	2,695	204.4	245.8	40.6	2,305	2,772	19.5	19.1	19.5	19.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGN150 EXNP	422	120	422	25.0	38.5	40.6	281	434	6.2	6.2	6.2	6.2	1.47	1.47	B-2	
吸収冷温水機	HAU-BGN180 EXNP	527	150	507	31.2	46.2	40.6	352	521	8.0	7.9	8.0	7.9	1.47	1.47	B-2	
吸収冷温水機	HAU-BGN210 EXNP	633	180	591	37.4	53.9	40.6	422	608	8.0	7.9	8.0	7.9	1.47	1.47	B-2	
吸収冷温水機	HAU-BGN240 EXNP	738	210	676	43.7	61.6	40.6	493	695	8.0	7.9	8.0	7.9	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN300 EXNP	879	250	844	52.0	77.0	40.6	586	868	8.7	8.6	8.7	8.6	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN360 EXNP	1,055	300	1,000	62.4	91.2	40.6	704	1,028	11.7	11.1	11.7	11.1	1.47	1.48	B-2	
吸収冷温水機	HAU-BGN400 EXNP	1,266	360	1,000	74.9	91.2	40.6	844	1,028	11.7	11.1	11.7	11.1	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN450 EXNP	1,407	400	1,291	83.2	117.7	40.6	938	1,328	13.2	12.6	13.2	12.6	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN500 EXNP	1,582	450	1,291	93.6	117.7	40.6	1,056	1,328	13.2	12.6	13.2	12.6	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN560 EXNP	1,758	500	1,613	104.0	147.1	40.6	1,173	1,659	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN630 EXNP	1,969	560	1,613	116.5	147.1	40.6	1,314	1,659	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN700 EXNP	2,215	630	1,936	131.0	176.5	40.6	1,478	1,991	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN800 EXNP	2,461	700	2,264	145.6	206.5	40.6	1,642	2,328	17.7	17.2	17.7	17.2	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN900 EXNP	2,813	800	2,264	166.4	206.5	40.6	1,877	2,328	17.7	17.2	17.7	17.2	1.49	1.49	B-2	
吸収冷温水機	HAU-BGN1000 EXNP	3,165	900	2,695	187.2	245.8	40.6	2,111	2,772	19.5	19.1	19.5	19.1	1.49	1.49	B-2	
吸収冷温水機	HAU-BGN150 EXN	422	120	422	25.0	38.5	40.6	281	434	6.2	6.2	6.2	6.2	1.47	1.47	B-2	
吸収冷温水機	HAU-BGN180 EXN	527	150	507	31.2	46.2	40.6	352	521	8.0	7.9	8.0	7.9	1.47	1.47	B-2	
吸収冷温水機	HAU-BGN210 EXN	633	180	591	37.4	53.9	40.6	422	608	8.0	7.9	8.0	7.9	1.47	1.47	B-2	
吸収冷温水機	HAU-BGN240 EXN	738	210	676	43.7	61.6	40.6	493	695	8.0	7.9	8.0	7.9	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN300 EXN	879	250	844	52.0	77.0	40.6	586	868	8.7	8.6	8.7	8.6	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN360 EXN	1,055	300	1,000	62.4	91.2	40.6	704	1,028	11.7	11.1	11.7	11.1	1.47	1.48	B-2	
吸収冷温水機	HAU-BGN400 EXN	1,266	360	1,000	74.9	91.2	40.6	844	1,028	11.7	11.1	11.7	11.1	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN450 EXN	1,407	400	1,291	83.2	117.7	40.6	938	1,328	13.2	12.6	13.2	12.6	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN500 EXN	1,582	450	1,291	93.6	117.7	40.6	1,056	1,328	13.2	12.6	13.2	12.6	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN560 EXN	1,758	500	1,613	104.0	147.1	40.6	1,173	1,659	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN630 EXN	1,969	560	1,613	116.5	147.1	40.6	1,314	1,659	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN700 EXN	2,215	630	1,936	131.0	176.5	40.6	1,478	1,991	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN800 EXN	2,461	700	2,264	145.6	206.5	40.6	1,642	2,328	17.7	17.2	17.7	17.2	1.48	1.48	B-2	
吸収冷温水機	HAU-BGN900 EXN	2,813	800	2,264	166.4	206.5	40.6	1,877	2,328	17.7	17.2	17.7	17.2	1.49	1.49	B-2	
吸収冷温水機	HAU-BGN1000 EXN	3,165	900	2,695	187.2	245.8	40.6	2,111	2,772	19.5	19.1	19.5	19.1	1.49	1.49	B-2	
吸収冷温水機	HAU-BGH120 EXNPA	422	120	422	24.5	38.5	40.6	277	434	6.2	6.2	6.2	6.2	1.49	1.49	B-2	
吸収冷温水機	HAU-BGH150 EXNPA	527	150	507	30.7	46.2	40.6	346	521	8.3	9.4	8.3	9.4	1.49	1.48	B-2	
吸収冷温水機	HAU-BGH180 EXNPA	633	180	591	36.8	53.9	40.6	415	608	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷温水機	HAU-BGH210 EXNPA	738	210	676	42.9	61.6	40.6	484	695	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷温水機	HAU-BGH240 EXNPA	844	240	788	49.1	71.9	40.6	553	810	8.7	8.6	8.7	8.6	1.50	1.50	B-2	
吸収冷温水機	HAU-BGH300 EXNPA	1,055	300	901	61.3	82.2	40.6	692	927	8.7	8.6	8.7	8.6	1.51	1.51	B-2	
吸収冷温水機	HAU-BGH360 EXNPA	1,266	360	1,291	73.6	117.7	40.6	830	1,328	11.7	11.1	11.7	11.1	1.50	1.51	B-2	
吸収冷温水機	HAU-BGH400 EXNPA	1,407	400	1,291	81.8	117.7	40.6	922	1,328	11.7	11.1	11.7	11.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGH450 EXNPA	1,582	450	1,613	92.0	147.1	40.6	1,037	1,659	13.2	12.6	13.2	12.6	1.51	1.51	B-2	
吸収冷温水機	HAU-BGH500 EXNPA	1,758	500	1,613	102.2	147.1	40.6	1,153	1,659	13.2	12.6	13.2	12.6	1.51	1.51	B-2	
吸収冷温水機	HAU-BGH560 EXNPA	1,969	560	1,936	114.5	176.5	40.6	1,291	1,991	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGH630 EXNPA	2,215	630	1,936	128.8	176.5	40.6	1,452	1,991	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷温水機	HAU-BGH700 EXNPA	2,461	700	2,264													

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸収式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力		ガス流量(m <sup>3</sup> N/h)		真発熱量		加熱源消費熱量(kW)		消費電力(kW)				冷房COP	性能確認方法の区分
		kW	USRT	kW	冷房	暖房	MJ/m <sup>3</sup> N	冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)	50Hz	60Hz		
吸収冷水機	HAU-BGH180 EXNP	527	150	591	31.2	53.9	40.6	352	608	8.0	7.9	8.0	7.9	1.47	1.47	B-2	
吸収冷水機	HAU-BGH210 EXNP	633	180	676	37.4	61.6	40.6	422	695	8.0	7.9	8.0	7.9	1.47	1.47	B-2	
吸収冷水機	HAU-BGH240 EXNP	738	210	788	43.7	71.9	40.6	493	810	8.7	8.6	8.7	8.6	1.47	1.47	B-2	
吸収冷水機	HAU-BGH300 EXNP	879	250	901	52.0	82.2	40.6	586	927	8.7	8.6	8.7	8.6	1.48	1.48	B-2	
吸収冷水機	HAU-BGH360 EXNP	1,055	300	1,291	62.4	117.7	40.6	704	1,328	11.7	11.1	11.7	11.1	1.47	1.48	B-2	
吸収冷水機	HAU-BGH400 EXNP	1,266	360	1,291	74.9	117.7	40.6	844	1,328	11.7	11.1	11.7	11.1	1.48	1.48	B-2	
吸収冷水機	HAU-BGH450 EXNP	1,407	400	1,613	83.2	147.1	40.6	938	1,659	13.2	12.6	13.2	12.6	1.48	1.48	B-2	
吸収冷水機	HAU-BGH500 EXNP	1,582	450	1,613	93.6	147.1	40.6	1,056	1,659	13.2	12.6	13.2	12.6	1.48	1.48	B-2	
吸収冷水機	HAU-BGH560 EXNP	1,758	500	1,936	104.0	176.5	40.6	1,173	1,991	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷水機	HAU-BGH630 EXNP	1,969	560	1,936	116.5	176.5	40.6	1,314	1,991	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷水機	HAU-BGH700 EXNP	2,215	630	2,264	131.0	206.5	40.6	1,478	2,328	16.6	15.8	16.6	15.8	1.48	1.48	B-2	
吸収冷水機	HAU-BGH800 EXNP	2,461	700	2,695	145.6	245.8	40.6	1,642	2,772	19.5	19.1	19.5	19.1	1.48	1.48	B-2	
吸収冷水機	HAU-BGH900 EXNP	2,813	800	2,695	166.4	245.8	40.6	1,877	2,772	19.5	19.1	19.5	19.1	1.48	1.48	B-2	
吸収冷水機	HAU-BGH1000 EXNP	3,165	900	3,256	187.2	296.9	40.6	2,111	3,349	23.1	22.8	23.1	22.8	1.48	1.48	B-2	
吸収冷水機	HAU-BGH150 EXN	422	120	507	25.0	46.2	40.6	281	521	8.3	8.4	8.3	9.4	1.46	1.45	B-2	
吸収冷水機	HAU-BGH180 EXN	527	150	591	31.2	53.9	40.6	352	608	8.0	7.9	8.0	7.9	1.47	1.47	B-2	
吸収冷水機	HAU-BGH210 EXN	633	180	676	37.4	61.6	40.6	422	695	8.0	7.9	8.0	7.9	1.47	1.47	B-2	
吸収冷水機	HAU-BGH240 EXN	738	210	788	43.7	71.9	40.6	493	810	8.7	8.6	8.7	8.6	1.47	1.47	B-2	
吸収冷水機	HAU-BGH300 EXN	879	250	901	52.0	82.2	40.6	586	927	8.7	8.6	8.7	8.6	1.48	1.48	B-2	
吸収冷水機	HAU-BGH360 EXN	1,055	300	1,291	62.4	117.7	40.6	704	1,328	11.7	11.1	11.7	11.1	1.47	1.48	B-2	
吸収冷水機	HAU-BGH400 EXN	1,266	360	1,291	74.9	117.7	40.6	844	1,328	11.7	11.1	11.7	11.1	1.48	1.48	B-2	
吸収冷水機	HAU-BGH450 EXN	1,407	400	1,613	83.2	147.1	40.6	938	1,659	13.2	12.6	13.2	12.6	1.48	1.48	B-2	
吸収冷水機	HAU-BGH500 EXN	1,582	450	1,613	93.6	147.1	40.6	1,056	1,659	13.2	12.6	13.2	12.6	1.48	1.48	B-2	
吸収冷水機	HAU-BGH560 EXN	1,758	500	1,936	104.0	176.5	40.6	1,173	1,991	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷水機	HAU-BGH630 EXN	1,969	560	1,936	116.5	176.5	40.6	1,314	1,991	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷水機	HAU-BGH700 EXN	2,215	630	2,264	131.0	206.5	40.6	1,478	2,328	16.6	15.8	16.6	15.8	1.48	1.48	B-2	
吸収冷水機	HAU-BGH800 EXN	2,461	700	2,695	145.6	245.8	40.6	1,642	2,772	19.5	19.1	19.5	19.1	1.48	1.48	B-2	
吸収冷水機	HAU-BGH900 EXN	2,813	800	2,695	166.4	245.8	40.6	1,877	2,772	19.5	19.1	19.5	19.1	1.48	1.48	B-2	
吸収冷水機	HAU-BGH1000 EXN	3,165	900	3,256	187.2	296.9	40.6	2,111	3,349	23.1	22.8	23.1	22.8	1.48	1.48	B-2	
吸収冷水機	HAU-CGN120 EXNPA	422	120	337	24.5	30.7	40.6	277	347	6.2	6.2	6.2	6.2	1.49	1.49	B-2	
吸収冷水機	HAU-CGN150 EXNPA	527	150	422	30.7	38.5	40.6	346	434	6.2	6.2	6.2	6.2	1.50	1.50	B-2	
吸収冷水機	HAU-CGN180 EXNPA	633	180	507	36.8	46.2	40.6	415	521	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷水機	HAU-CGN210 EXNPA	738	210	591	42.9	53.9	40.6	484	608	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷水機	HAU-CGN240 EXNPA	844	240	676	49.1	61.6	40.6	553	695	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷水機	HAU-CGN300 EXNPA	1,055	300	844	61.3	77.0	40.6	692	868	8.7	8.6	8.7	8.6	1.51	1.51	B-2	
吸収冷水機	HAU-CGN360 EXNPA	1,266	360	1,000	73.6	91.2	40.6	830	1,028	11.7	11.1	11.7	11.1	1.50	1.51	B-2	
吸収冷水機	HAU-CGN400 EXNPA	1,407	400	1,000	81.8	91.2	40.6	922	1,028	11.7	11.1	11.7	11.1	1.51	1.51	B-2	
吸収冷水機	HAU-CGN450 EXNPA	1,582	450	1,291	92.0	117.7	40.6	1,037	1,328	13.2	12.6	13.2	12.6	1.51	1.51	B-2	
吸収冷水機	HAU-CGN500 EXNPA	1,758	500	1,291	102.2	117.7	40.6	1,153	1,328	13.2	12.6	13.2	12.6	1.51	1.51	B-2	
吸収冷水機	HAU-CGN560 EXNPA	1,969	560	1,613	114.5	147.1	40.6	1,291	1,659	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷水機	HAU-CGN630 EXNPA	2,215	630	1,613	128.8	147.1	40.6	1,452	1,659	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷水機	HAU-CGN700 EXNPA	2,461	700	1,936	143.1	176.5	40.6	1,614	1,991	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷水機	HAU-CGN800 EXNPA	2,813	800	2,264	163.5	206.5	40.6	1,844	2,328	17.7	17.2	17.7	17.2	1.51	1.51	B-2	
吸収冷水機	HAU-CGN900 EXNPA	3,165	900	2,264	184.0	206.5	40.6	2,075	2,328	17.7	17.2	17.7	17.2	1.51	1.51	B-2	
吸収冷水機	HAU-CGN1000 EXNPA	3,516	1,000	2,695	204.4	245.8	40.6	2,305	2,772	19.5	19.1	19.5	19.1	1.51	1.51	B-2	
吸収冷水機	HAU-CGN120 EXNA	422	120	337	24.5	30.7	40.6	277	347	6.2	6.2	6.2	6.2	1.49	1.49	B-2	
吸収冷水機	HAU-CGN150 EXNA	527	150	422	30.7	38.5	40.6	346	434	6.2	6.2	6.2	6.2	1.50	1.50	B-2	
吸収冷水機	HAU-CGN180 EXNA	633	180	507	36.8	46.2	40.6	415	521	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷水機	HAU-CGN210 EXNA	738	210	591	42.9	53.9	40.6	484	608	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷水機	HAU-CGN240 EXNA	844	240	676	49.1	61.6	40.6	553	695	8.0	7.9	8.0	7.9	1.50	1.50	B-2	
吸収冷水機	HAU-CGN300 EXNA	1,055	300	844	61.3	77.0	40.6	692	868	8.7	8.6	8.7	8.6	1.51	1.51	B-2	
吸収冷水機	HAU-CGN360 EXNA	1,266	360	1,000	73.6	91.2	40.6	830	1,028	11.7	11.1	11.7	11.1	1.50	1.51	B-2	
吸収冷水機	HAU-CGN400 EXNA	1,407	400	1,000	81.8	91.2	40.6	922	1,028	11.7	11.1	11.7	11.1	1.51	1.51	B-2	
吸収冷水機	HAU-CGN450 EXNA	1,582	450	1,291	92.0	117.7	40.6	1,037	1,328	13.2	12.6	13.2	12.6	1.51	1.51	B-2	
吸収冷水機	HAU-CGN500 EXNA	1,758	500	1,291	102.2	117.7	40.6	1,153	1,328	13.2	12.6	13.2	12.6	1.51	1.51	B-2	
吸収冷水機	HAU-CGN560 EXNA	1,969	560	1,613	114.5	147.1	40.6	1,291	1,659	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷水機	HAU-CGN630 EXNA	2,215	630	1,613	128.8	147.1	40.6	1,452	1,659	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷水機	HAU-CGN700 EXNA	2,461	700	1,936	143.1	176.5	40.6	1,614	1,991	14.9	14.1	14.9	14.1	1.51	1.51	B-2	
吸収冷水機	HAU-CGN800 EXNA	2,813	800	2,264	163.5	206.5	40.6	1,844	2,328	17.7	17.2	17.7	17.2	1.51	1.51	B-2	
吸収冷水機	HAU-CGN900 EXNA	3,165	900	2,264	184.0	206.5	40.6	2,075	2,328	17.7	17.2	17.7	17.2	1.51	1.51	B-2	
吸収冷水機	HAU-CGN1000 EXNA	3,516	1,000	2,695	204.4	245.8	40.6	2,305	2,772	19.5	19.1	19.5	19.1	1.51	1.51	B-2	
吸収冷水機	HAU-CGN150 EXNP	422	120	422	25.0	38.5	40.6	281	434	6.2	6.2	6.2	6.2	1.47	1.47	B-2	
吸収冷水機	HAU-CGN180 EXNP	527	150	507	31.2	46.2	40.6	352	521	8.0	7.9	8.0	7.9	1.47	1.47	B-2	
吸収冷水機	HAU-CGN210 EXNP	633	180	591	37.4	53.9	40.6	422	608	8.0	7.9	8.0	7.9	1.47	1.47	B-2	
吸収冷水機	HAU-CGN240 EXNP	738	210	676	43.7	61.6	40.6	493	695	8.0	7.9	8.0	7.9	1.48	1.48	B-2	
吸収冷水機	HAU-CGN300 EXNP	879	250	844	52.0	77.0	40.6	586	868	8.7	8.6	8.7	8.6	1.48	1.48	B-2	
吸収冷水機	HAU-CGN360 EXNP	1,055	300	1,000	62.4	91.2	40.6	704	1,028	11.7	11.1	11.7	11.1	1.47	1.48	B-2	
吸収冷水機	HAU-CGN400 EXNP	1,266	360	1,000	74.9	91.2	40.6	844	1,028	11.7	11.1	11.7	11.1	1.48	1.48	B-2	
吸収冷水機	HAU-CGN450 EXNP	1,407	400	1,291	83.2	117.7	40.6	938	1,328	13.2	12.6	13.2	12.6	1.48	1.48	B-2	
吸収冷水機	HAU-CGN500 EXNP	1,582	450	1,291	93.6	117.7	40.6	1,056	1,328	13.2	12.6	13.2	12.6	1.48	1.48	B-2	
吸収冷水機	HAU-CGN560 EXNP	1,758	500	1,613	104.0	147.1	40.6	1,173	1,659	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷水機	HAU-CGN630 EXNP	1,969	560	1,613	116.5	147.1	40.6	1,314	1,659	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷水機	HAU-CGN700 EXNP	2,215	630	1,936	131.0	176.5	40.6	1,478	1,991	14.9	14.1	14.9	14.1	1.48	1.48	B-2	
吸収冷水機	HAU-CGN800 EXNP	2,461	700	2,264	145.6	206.5	40.6	1,642	2,328	17.7	17.2	17.7	17.2	1.48	1.48	B-2	
吸収冷水機	HAU-CGN900 EXNP	2,813	800	2,264	166.4	206.5	40.6	1,877	2,328	17.7	17.2	17.7					

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸収式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力		ガス流量(m <sup>3</sup> N/h)		真発熱量		加熱源消費熱量(kW)		消費電力(kW)				性能確認方法の区分
		kW	USRT	kW	冷房	暖房	冷房	暖房	MJ/m <sup>3</sup> N	冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)	
吸収冷温水機	HAU-CGH240 EXNPA	844	240	788	49.1	71.9	40.6	553	810	8.7	8.6	8.7	8.6	1.50	1.50	B-2
吸収冷温水機	HAU-CGH300 EXNPA	1,055	300	901	61.3	82.2	40.6	692	927	8.7	8.6	8.7	8.6	1.51	1.51	B-2
吸収冷温水機	HAU-CGH360 EXNPA	1,266	360	1,291	73.6	117.7	40.6	830	1,328	11.7	11.1	11.7	11.1	1.50	1.51	B-2
吸収冷温水機	HAU-CGH400 EXNPA	1,407	400	1,291	81.8	117.7	40.6	922	1,328	11.7	11.1	11.7	11.1	1.51	1.51	B-2
吸収冷温水機	HAU-CGH450 EXNPA	1,582	450	1,613	92.0	147.1	40.6	1,037	1,659	13.2	12.6	13.2	12.6	1.51	1.51	B-2
吸収冷温水機	HAU-CGH500 EXNPA	1,758	500	1,613	102.2	147.1	40.6	1,153	1,659	13.2	12.6	13.2	12.6	1.51	1.51	B-2
吸収冷温水機	HAU-CGH560 EXNPA	1,969	560	1,936	114.5	176.5	40.6	1,291	1,991	14.9	14.1	14.9	14.1	1.51	1.51	B-2
吸収冷温水機	HAU-CGH630 EXNPA	2,215	630	1,936	128.8	176.5	40.6	1,452	1,991	14.9	14.1	14.9	14.1	1.51	1.51	B-2
吸収冷温水機	HAU-CGH700 EXNPA	2,461	700	2,264	143.1	206.5	40.6	1,614	2,328	16.6	15.8	16.6	15.8	1.51	1.51	B-2
吸収冷温水機	HAU-CGH800 EXNPA	2,813	800	2,695	163.5	245.8	40.6	1,844	2,772	19.5	19.1	19.5	19.1	1.51	1.51	B-2
吸収冷温水機	HAU-CGH900 EXNPA	3,165	900	2,695	184.0	245.8	40.6	2,075	2,772	19.5	19.1	19.5	19.1	1.51	1.51	B-2
吸収冷温水機	HAU-CGH1000 EXNPA	3,516	1,000	3,256	204.4	296.9	40.6	2,305	3,349	23.1	22.8	23.1	22.8	1.51	1.51	B-2
吸収冷温水機	HAU-CGH120 EXNA	422	120	422	24.5	38.5	40.6	277	434	6.2	6.2	6.2	6.2	1.49	1.49	B-2
吸収冷温水機	HAU-CGH150 EXNA	527	150	507	30.7	46.2	40.6	346	521	8.3	8.3	8.3	8.3	1.49	1.48	B-2
吸収冷温水機	HAU-CGH180 EXNA	633	180	591	36.8	53.9	40.6	415	608	8.0	7.9	8.0	7.9	1.50	1.50	B-2
吸収冷温水機	HAU-CGH210 EXNA	738	210	676	42.9	61.6	40.6	484	695	8.0	7.9	8.0	7.9	1.50	1.50	B-2
吸収冷温水機	HAU-CGH240 EXNA	844	240	788	49.1	71.9	40.6	553	810	8.7	8.6	8.7	8.6	1.50	1.50	B-2
吸収冷温水機	HAU-CGH300 EXNA	1,055	300	901	61.3	82.2	40.6	692	927	8.7	8.6	8.7	8.6	1.51	1.51	B-2
吸収冷温水機	HAU-CGH360 EXNA	1,266	360	1,291	73.6	117.7	40.6	830	1,328	11.7	11.1	11.7	11.1	1.50	1.51	B-2
吸収冷温水機	HAU-CGH400 EXNA	1,407	400	1,291	81.8	117.7	40.6	922	1,328	11.7	11.1	11.7	11.1	1.51	1.51	B-2
吸収冷温水機	HAU-CGH450 EXNA	1,582	450	1,613	92.0	147.1	40.6	1,037	1,659	13.2	12.6	13.2	12.6	1.51	1.51	B-2
吸収冷温水機	HAU-CGH500 EXNA	1,758	500	1,613	102.2	147.1	40.6	1,153	1,659	13.2	12.6	13.2	12.6	1.51	1.51	B-2
吸収冷温水機	HAU-CGH560 EXNA	1,969	560	1,936	114.5	176.5	40.6	1,291	1,991	14.9	14.1	14.9	14.1	1.51	1.51	B-2
吸収冷温水機	HAU-CGH630 EXNA	2,215	630	1,936	128.8	176.5	40.6	1,452	1,991	14.9	14.1	14.9	14.1	1.51	1.51	B-2
吸収冷温水機	HAU-CGH700 EXNA	2,461	700	2,264	143.1	206.5	40.6	1,614	2,328	16.6	15.8	16.6	15.8	1.51	1.51	B-2
吸収冷温水機	HAU-CGH800 EXNA	2,813	800	2,695	163.5	245.8	40.6	1,844	2,772	19.5	19.1	19.5	19.1	1.51	1.51	B-2
吸収冷温水機	HAU-CGH900 EXNA	3,165	900	2,695	184.0	245.8	40.6	2,075	2,772	19.5	19.1	19.5	19.1	1.51	1.51	B-2
吸収冷温水機	HAU-CGH1000 EXNA	3,516	1,000	3,256	204.4	296.9	40.6	2,305	3,349	23.1	22.8	23.1	22.8	1.51	1.51	B-2
吸収冷温水機	HAU-CGH150 EXNP	422	120	507	25.0	46.2	40.6	281	521	8.3	8.3	8.3	8.3	1.46	1.45	B-2
吸収冷温水機	HAU-CGH180 EXNP	527	150	591	31.2	53.9	40.6	352	608	8.0	7.9	8.0	7.9	1.47	1.47	B-2
吸収冷温水機	HAU-CGH210 EXNP	633	180	676	37.4	61.6	40.6	422	695	8.0	7.9	8.0	7.9	1.47	1.47	B-2
吸収冷温水機	HAU-CGH240 EXNP	738	210	788	43.7	71.9	40.6	493	810	8.7	8.6	8.7	8.6	1.47	1.47	B-2
吸収冷温水機	HAU-CGH300 EXNP	879	250	901	52.0	82.2	40.6	586	927	8.7	8.6	8.7	8.6	1.48	1.48	B-2
吸収冷温水機	HAU-CGH360 EXNP	1,055	300	1,291	62.4	117.7	40.6	704	1,328	11.7	11.1	11.7	11.1	1.47	1.48	B-2
吸収冷温水機	HAU-CGH400 EXNP	1,266	360	1,291	74.9	117.7	40.6	844	1,328	11.7	11.1	11.7	11.1	1.48	1.48	B-2
吸収冷温水機	HAU-CGH450 EXNP	1,407	400	1,613	83.2	147.1	40.6	938	1,659	13.2	12.6	13.2	12.6	1.48	1.48	B-2
吸収冷温水機	HAU-CGH500 EXNP	1,582	450	1,613	93.6	147.1	40.6	1,056	1,659	13.2	12.6	13.2	12.6	1.48	1.48	B-2
吸収冷温水機	HAU-CGH560 EXNP	1,758	500	1,936	104.0	176.5	40.6	1,173	1,991	14.9	14.1	14.9	14.1	1.48	1.48	B-2
吸収冷温水機	HAU-CGH630 EXNP	1,969	560	1,936	116.5	176.5	40.6	1,314	1,991	14.9	14.1	14.9	14.1	1.48	1.48	B-2
吸収冷温水機	HAU-CGH700 EXNP	2,215	630	2,264	131.0	206.5	40.6	1,478	2,328	16.6	15.8	16.6	15.8	1.48	1.48	B-2
吸収冷温水機	HAU-CGH800 EXNP	2,461	700	2,695	145.6	245.8	40.6	1,642	2,772	19.5	19.1	19.5	19.1	1.48	1.48	B-2
吸収冷温水機	HAU-CGH900 EXNP	2,813	800	2,695	166.4	245.8	40.6	1,877	2,772	19.5	19.1	19.5	19.1	1.48	1.48	B-2
吸収冷温水機	HAU-CGH1000 EXNP	3,165	900	3,256	187.2	296.9	40.6	2,111	3,349	23.1	22.8	23.1	22.8	1.48	1.48	B-2
吸収冷温水機	HAU-CGH150 EXN	422	120	507	25.0	46.2	40.6	281	521	8.3	8.3	8.3	8.3	1.46	1.45	B-2
吸収冷温水機	HAU-CGH180 EXN	527	150	591	31.2	53.9	40.6	352	608	8.0	7.9	8.0	7.9	1.47	1.47	B-2
吸収冷温水機	HAU-CGH210 EXN	633	180	676	37.4	61.6	40.6	422	695	8.0	7.9	8.0	7.9	1.47	1.47	B-2
吸収冷温水機	HAU-CGH240 EXN	738	210	788	43.7	71.9	40.6	493	810	8.7	8.6	8.7	8.6	1.47	1.47	B-2
吸収冷温水機	HAU-CGH300 EXN	879	250	901	52.0	82.2	40.6	586	927	8.7	8.6	8.7	8.6	1.48	1.48	B-2
吸収冷温水機	HAU-CGH360 EXN	1,055	300	1,291	62.4	117.7	40.6	704	1,328	11.7	11.1	11.7	11.1	1.47	1.48	B-2
吸収冷温水機	HAU-CGH400 EXN	1,266	360	1,291	74.9	117.7	40.6	844	1,328	11.7	11.1	11.7	11.1	1.48	1.48	B-2
吸収冷温水機	HAU-CGH450 EXN	1,407	400	1,613	83.2	147.1	40.6	938	1,659	13.2	12.6	13.2	12.6	1.48	1.48	B-2
吸収冷温水機	HAU-CGH500 EXN	1,582	450	1,613	93.6	147.1	40.6	1,056	1,659	13.2	12.6	13.2	12.6	1.48	1.48	B-2
吸収冷温水機	HAU-CGH560 EXN	1,758	500	1,936	104.0	176.5	40.6	1,173	1,991	14.9	14.1	14.9	14.1	1.48	1.48	B-2
吸収冷温水機	HAU-CGH630 EXN	1,969	560	1,936	116.5	176.5	40.6	1,314	1,991	14.9	14.1	14.9	14.1	1.48	1.48	B-2
吸収冷温水機	HAU-CGH700 EXN	2,215	630	2,264	131.0	206.5	40.6	1,478	2,328	16.6	15.8	16.6	15.8	1.48	1.48	B-2
吸収冷温水機	HAU-CGH800 EXN	2,461	700	2,695	145.6	245.8	40.6	1,642	2,772	19.5	19.1	19.5	19.1	1.48	1.48	B-2
吸収冷温水機	HAU-CGH900 EXN	2,813	800	2,695	166.4	245.8	40.6	1,877	2,772	19.5	19.1	19.5	19.1	1.48	1.48	B-2
吸収冷温水機	HAU-CGH1000 EXN	3,165	900	3,256	187.2	296.9	40.6	2,111	3,349	23.1	22.8	23.1	22.8	1.48	1.48	B-2