

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸収式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力		ガス流量(m <sup>3</sup> N/h)		真発熱量		加熱源消費熱量(kW)		消費電力(kW)		冷房COP		性能確認方法の区分	
		kW	USRT	kW		冷房	暖房	MJ/m <sup>3</sup> N	冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)	50Hz		60Hz
吸収式温水機	HAU-BGN120 EXSPA	422	120	386		27.2	35.9	40.6	306	404	5.4	5.4	5.4	5.4	1.35	1.35	B-2
吸収式温水機	HAU-BGN150 EXSPA	527	150	386		34.0	35.9	40.6	383	404	5.4	5.4	5.4	5.4	1.36	1.36	B-2
吸収式温水機	HAU-BGN180 EXSPA	633	180	500		40.8	46.5	40.6	460	524	7.4	8.6	7.4	8.6	1.35	1.35	B-2
吸収式温水機	HAU-BGN210 EXSPA	738	210	644		47.6	59.8	40.6	536	675	8.0	7.9	8.0	7.9	1.36	1.36	B-2
吸収式温水機	HAU-BGN240 EXSPA	844	240	644		54.3	59.8	40.6	613	675	8.0	7.9	8.0	7.9	1.36	1.36	B-2
吸収式温水機	HAU-BGN280 EXSPA	985	280	779		63.4	72.4	40.6	715	816	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN300 EXSPA	1,055	300	779		67.9	72.4	40.6	766	816	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN360 EXSPA	1,266	360	1,000		81.5	92.9	40.6	919	1,048	11.7	11.1	11.7	11.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN400 EXSPA	1,407	400	1,000		90.6	92.9	40.6	1,022	1,048	11.7	11.1	11.7	11.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN450 EXSPA	1,582	450	1,291		101.9	119.9	40.6	1,149	1,353	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN500 EXSPA	1,758	500	1,291		113.2	119.9	40.6	1,277	1,353	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN560 EXSPA	1,969	560	1,613		126.8	149.9	40.6	1,430	1,690	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN600 EXSPA	2,215	630	1,613		142.7	149.9	40.6	1,609	1,690	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN700 EXSPA	2,461	700	1,936		158.5	179.9	40.6	1,788	2,029	14.9	14.1	14.9	14.1	1.37	1.37	B-2
吸収式温水機	HAU-BGN750 EXSPA	2,637	750	1,936		169.8	179.9	40.6	1,915	2,029	14.9	14.1	14.9	14.1	1.37	1.37	B-2
吸収式温水機	HAU-BGN800 EXSPA	2,813	800	2,264		181.2	210.3	40.6	2,043	2,372	17.7	17.2	17.7	17.2	1.37	1.37	B-2
吸収式温水機	HAU-BGN800 EXSPA	2,813	800	2,264		181.2	210.3	40.6	2,043	2,372	17.7	17.2	17.7	17.2	1.37	1.37	B-2
吸収式温水機	HAU-BGN900 EXSPA	3,165	900	2,264		203.8	210.3	40.6	2,298	2,372	17.7	17.2	17.7	17.2	1.37	1.37	B-2
吸収式温水機	HAU-BGN1000 EXSPA	3,516	1,000	2,695		226.4	250.4	40.6	2,554	2,824	19.5	19.1	19.5	19.1	1.37	1.37	B-2
吸収式温水機	HAU-BGN120 EXSA	422	120	386		27.2	35.9	40.6	306	404	5.4	5.4	5.4	5.4	1.35	1.35	B-2
吸収式温水機	HAU-BGN180 EXSA	633	180	500		40.8	46.5	40.6	460	524	7.4	8.6	7.4	8.6	1.35	1.35	B-2
吸収式温水機	HAU-BGN240 EXSA	844	240	644		54.3	59.8	40.6	613	675	8.0	7.9	8.0	7.9	1.36	1.36	B-2
吸収式温水機	HAU-BGN280 EXSA	985	280	779		63.4	72.4	40.6	715	816	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN300 EXSA	1,055	300	779		67.9	72.4	40.6	766	816	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN360 EXSA	1,266	360	1,000		81.5	92.9	40.6	919	1,048	11.7	11.1	11.7	11.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN400 EXSA	1,407	400	1,000		90.6	92.9	40.6	1,022	1,048	11.7	11.1	11.7	11.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN450 EXSA	1,582	450	1,291		101.9	119.9	40.6	1,149	1,353	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN500 EXSA	1,758	500	1,291		113.2	119.9	40.6	1,277	1,353	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN560 EXSA	1,969	560	1,613		126.8	149.9	40.6	1,430	1,690	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN630 EXSA	2,215	630	1,613		142.7	149.9	40.6	1,609	1,690	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN700 EXSA	2,461	700	1,936		158.5	179.9	40.6	1,788	2,029	14.9	14.1	14.9	14.1	1.37	1.37	B-2
吸収式温水機	HAU-BGN750 EXSA	2,637	750	1,936		169.8	179.9	40.6	1,915	2,029	14.9	14.1	14.9	14.1	1.37	1.37	B-2
吸収式温水機	HAU-BGN800 EXSA	2,813	800	2,264		181.2	210.3	40.6	2,043	2,372	17.7	17.2	17.7	17.2	1.37	1.37	B-2
吸収式温水機	HAU-BGN900 EXSA	3,165	900	2,264		203.8	210.3	40.6	2,298	2,372	17.7	17.2	17.7	17.2	1.37	1.37	B-2
吸収式温水機	HAU-BGN1000 EXSA	3,516	1,000	2,695		226.4	250.4	40.6	2,554	2,824	19.5	19.1	19.5	19.1	1.37	1.37	B-2
吸収式温水機	HAU-BGN120 EXSP	422	120	386		27.8	35.9	40.6	313	404	5.4	5.4	5.4	5.4	1.32	1.32	B-2
吸収式温水機	HAU-BGN150 EXSP	527	150	386		34.7	35.9	40.6	392	404	5.4	5.4	5.4	5.4	1.33	1.33	B-2
吸収式温水機	HAU-BGN180 EXSP	633	180	500		41.7	46.5	40.6	470	524	7.4	8.6	7.4	8.6	1.33	1.33	B-2
吸収式温水機	HAU-BGN210 EXSP	738	210	644		48.6	59.8	40.6	548	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸収式温水機	HAU-BGN240 EXSP	844	240	644		55.5	59.8	40.6	626	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸収式温水機	HAU-BGN280 EXSP	985	280	779		64.8	72.4	40.6	731	816	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収式温水機	HAU-BGN300 EXSP	1,055	300	779		69.4	72.4	40.6	783	816	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収式温水機	HAU-BGN360 EXSP	1,266	360	1,000		83.3	92.9	40.6	940	1,048	11.7	11.1	11.7	11.1	1.33	1.33	B-2
吸収式温水機	HAU-BGN400 EXSP	1,407	400	1,000		92.6	92.9	40.6	1,044	1,048	11.7	11.1	11.7	11.1	1.33	1.33	B-2
吸収式温水機	HAU-BGN450 EXSP	1,582	450	1,291		104.1	119.9	40.6	1,175	1,353	13.2	12.6	13.2	12.6	1.33	1.33	B-2
吸収式温水機	HAU-BGN500 EXSP	1,758	500	1,291		115.7	119.9	40.6	1,305	1,353	13.2	12.6	13.2	12.6	1.33	1.33	B-2
吸収式温水機	HAU-BGN560 EXSP	1,969	560	1,613		129.6	149.9	40.6	1,462	1,690	14.9	14.1	14.9	14.1	1.33	1.33	B-2
吸収式温水機	HAU-BGN630 EXSP	2,215	630	1,613		145.8	149.9	40.6	1,644	1,690	14.9	14.1	14.9	14.1	1.34	1.34	B-2
吸収式温水機	HAU-BGN700 EXSP	2,461	700	1,936		162.0	179.9	40.6	1,827	2,029	14.9	14.1	14.9	14.1	1.34	1.34	B-2
吸収式温水機	HAU-BGN750 EXSP	2,637	750	1,936		173.6	179.9	40.6	1,958	2,029	14.9	14.1	14.9	14.1	1.34	1.34	B-2
吸収式温水機	HAU-BGN800 EXSP	2,813	800	2,264		185.1	210.3	40.6	2,088	2,372	17.7	17.2	17.7	17.2	1.34	1.34	B-2
吸収式温水機	HAU-BGN900 EXSP	3,165	900	2,264		208.3	210.3	40.6	2,349	2,372	17.7	17.2	17.7	17.2	1.34	1.34	B-2
吸収式温水機	HAU-BGN1000 EXSP	3,516	1,000	2,695		231.4	250.4	40.6	2,610	2,824	19.5	19.1	19.5	19.1	1.34	1.34	B-2
吸収式温水機	HAU-BGN120 EXSPA	422	120	449		27.2	41.7	40.6	306	470	5.4	5.4	5.4	5.4	1.35	1.35	B-2
吸収式温水機	HAU-BGN150 EXSPA	527	150	449		34.0	41.7	40.6	383	470	5.4	5.4	5.4	5.4	1.36	1.36	B-2
吸収式温水機	HAU-BGN180 EXSPA	633	180	540		40.8	50.2	40.6	460	566	8.2	9.3	8.2	9.3	1.35	1.35	B-2
吸収式温水機	HAU-BGN210 EXSPA	738	210	719		47.6	66.8	40.6	536	753	8.7	8.6	8.7	8.6	1.35	1.36	B-2
吸収式温水機	HAU-BGN240 EXSPA	844	240	719		54.3	66.8	40.6	613	753	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN280 EXSPA	985	280	958		63.4	89.0	40.6	715	1,004	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN300 EXSPA	1,055	300	958		67.9	89.0	40.6	766	1,004	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN360 EXSPA	1,266	360	1,291		81.5	119.9	40.6	919	1,353	11.7	11.1	11.7	11.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN400 EXSPA	1,407	400	1,291		90.6	119.9	40.6	1,022	1,353	11.7	11.1	11.7	11.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN450 EXSPA	1,582	450	1,613		101.9	149.9	40.6	1,149	1,690	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN500 EXSPA	1,758	500	1,613		113.2	149.9	40.6	1,277	1,690	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収式温水機	HAU-BGN560 EXSPA	1,969	560	1,936		126.8	179.9	40.6	1,430	2,029	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN600 EXSPA	2,215	630	1,936		142.7	179.9	40.6	1,609	2,029	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN700 EXSPA	2,461	700	2,264		169.8	210.3	40.6	1,788	2,372	16.6	15.8	16.6	15.8	1.37	1.37	B-2
吸収式温水機	HAU-BGN750 EXSPA	2,637	750	2,264		169.8	210.3	40.6	1,915	2,372	16.6	15.8	16.6	15.8	1.37	1.37	B-2
吸収式温水機	HAU-BGN800 EXSPA	2,813	800	2,695		181.2	250.4	40.6	2,043	2,824	19.5	19.1	19.5	19.1	1.36	1.36	B-2
吸収式温水機	HAU-BGN900 EXSPA	3,165	900	2,695		203.8	250.4	40.6	2,298	2,824	19.5	19.1	19.5	19.1	1.37	1.37	B-2
吸収式温水機	HAU-BGN1000 EXSPA	3,516	1,000	3,256		226.4	302.5	40.6	2,554	3,412	23.1	22.8	23.1	22.8	1.36	1.36	B-2
吸収式温水機	HAU-BGN120 EXSA	422	120	449		27.2	41.7	40.6	306	470	5.4	5.4	5.4	5.4	1.35	1.35	B-2
吸収式温水機	HAU-BGN150 EXSA	527	150	449		34.0	41.7	40.6	383</								

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸収式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力		ガス流量(m <sup>3</sup> N/h)		真発熱量 MJ/m <sup>3</sup> N	加熱源消費熱量(kW)		消費電力(kW)				性能確認方法 の区分		
		kW	USRT	kW		冷房	暖房		冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)		50Hz	60Hz
吸収式温水機	HAU-BGH450 EXSA	1,582	450	1,613		101.9	149.9	40.6	1,149	1,690	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収式温水機	HAU-BGH500 EXSA	1,758	500	1,613		113.2	149.9	40.6	1,277	1,690	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収式温水機	HAU-BGH560 EXSA	1,969	560	1,936		126.8	179.9	40.6	1,430	2,029	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収式温水機	HAU-BGH630 EXSA	2,215	630	1,936		142.7	179.9	40.6	1,609	2,029	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収式温水機	HAU-BGH700 EXSA	2,461	700	2,264		158.5	210.3	40.6	1,788	2,372	16.6	15.8	16.6	15.8	1.36	1.36	B-2
吸収式温水機	HAU-BGH750 EXSA	2,637	750	2,264		169.8	210.3	40.6	1,915	2,372	16.6	15.8	16.6	15.8	1.37	1.37	B-2
吸収式温水機	HAU-BGH800 EXSA	2,813	800	2,695		181.2	250.4	40.6	2,043	2,824	19.5	19.1	19.5	19.1	1.36	1.36	B-2
吸収式温水機	HAU-BGH900 EXSA	3,165	900	2,695		203.8	250.4	40.6	2,298	2,824	19.5	19.1	19.5	19.1	1.37	1.37	B-2
吸収式温水機	HAU-BGH1000 EXSA	3,516	1,000	3,256		226.4	302.5	40.6	2,554	3,412	23.1	22.8	23.1	22.8	1.36	1.36	B-2
吸収式温水機	HAU-BGH120 EXSP	422	120	449		27.8	41.7	40.6	313	470	5.4	5.4	5.4	5.4	1.32	1.32	B-2
吸収式温水機	HAU-BGH150 EXSP	527	150	449		34.7	41.7	40.6	392	470	5.4	5.4	5.4	5.4	1.33	1.33	B-2
吸収式温水機	HAU-BGH180 EXSP	633	180	540		41.7	50.2	40.6	470	566	8.2	9.3	8.2	9.3	1.32	1.32	B-2
吸収式温水機	HAU-BGH210 EXSP	738	210	719		48.6	66.8	40.6	548	753	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH240 EXSP	844	240	719		55.5	66.8	40.6	626	753	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH280 EXSP	985	280	958		64.8	89.0	40.6	731	1,004	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH300 EXSP	1,055	300	958		69.4	89.0	40.6	783	1,004	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH360 EXSP	1,266	360	1,291		83.3	119.9	40.6	940	1,353	11.7	11.1	11.7	11.1	1.33	1.33	B-2
吸収式温水機	HAU-BGH400 EXSP	1,407	400	1,291		92.6	119.9	40.6	1,044	1,353	11.7	11.1	11.7	11.1	1.33	1.33	B-2
吸収式温水機	HAU-BGH450 EXSP	1,582	450	1,613		104.1	149.9	40.6	1,175	1,690	13.2	12.6	13.2	12.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH450 EXSP	1,582	450	1,613		104.1	149.9	40.6	1,175	1,690	13.2	12.6	13.2	12.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH500 EXSP	1,758	500	1,613		115.7	149.9	40.6	1,305	1,690	13.2	12.6	13.2	12.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH560 EXSP	1,969	560	1,936		129.6	179.9	40.6	1,462	2,029	14.9	14.1	14.9	14.1	1.33	1.33	B-2
吸収式温水機	HAU-BGH630 EXSP	2,215	630	1,936		145.8	179.9	40.6	1,644	2,029	14.9	14.1	14.9	14.1	1.34	1.34	B-2
吸収式温水機	HAU-BGH700 EXSP	2,461	700	2,264		162.0	210.3	40.6	1,827	2,372	16.6	15.8	16.6	15.8	1.34	1.34	B-2
吸収式温水機	HAU-BGH750 EXSP	2,637	750	2,264		173.6	210.3	40.6	1,958	2,372	16.6	15.8	16.6	15.8	1.34	1.34	B-2
吸収式温水機	HAU-BGH800 EXSP	2,813	800	2,695		185.1	250.4	40.6	2,088	2,824	19.5	19.1	19.5	19.1	1.33	1.34	B-2
吸収式温水機	HAU-BGH900 EXSP	3,165	900	2,695		208.3	250.4	40.6	2,349	2,824	19.5	19.1	19.5	19.1	1.34	1.34	B-2
吸収式温水機	HAU-BGH1000 EXSP	3,516	1,000	3,256		231.4	302.5	40.6	2,610	3,412	23.1	22.8	23.1	22.8	1.34	1.34	B-2
吸収式温水機	HAU-BGH120 EXS	422	120	449		27.8	41.7	40.6	313	470	5.4	5.4	5.4	5.4	1.32	1.32	B-2
吸収式温水機	HAU-BGH150 EXS	527	150	449		34.7	41.7	40.6	392	470	5.4	5.4	5.4	5.4	1.33	1.33	B-2
吸収式温水機	HAU-BGH180 EXS	633	180	540		41.7	50.2	40.6	470	566	8.2	9.3	8.2	9.3	1.32	1.32	B-2
吸収式温水機	HAU-BGH210 EXS	738	210	719		48.6	66.8	40.6	548	753	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH240 EXS	844	240	719		55.5	66.8	40.6	626	753	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH280 EXS	985	280	958		64.8	89.0	40.6	731	1,004	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH300 EXS	1,055	300	958		69.4	89.0	40.6	783	1,004	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH360 EXS	1,266	360	1,291		83.3	119.9	40.6	940	1,353	11.7	11.1	11.7	11.1	1.33	1.33	B-2
吸収式温水機	HAU-BGH400 EXS	1,407	400	1,291		92.6	119.9	40.6	1,044	1,353	11.7	11.1	11.7	11.1	1.33	1.33	B-2
吸収式温水機	HAU-BGH450 EXS	1,582	450	1,613		104.1	149.9	40.6	1,175	1,690	13.2	12.6	13.2	12.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH500 EXS	1,758	500	1,613		115.7	149.9	40.6	1,305	1,690	13.2	12.6	13.2	12.6	1.33	1.33	B-2
吸収式温水機	HAU-BGH560 EXS	1,969	560	1,936		129.6	179.9	40.6	1,462	2,029	14.9	14.1	14.9	14.1	1.33	1.33	B-2
吸収式温水機	HAU-BGH630 EXS	2,215	630	1,936		145.8	179.9	40.6	1,644	2,029	14.9	14.1	14.9	14.1	1.34	1.34	B-2
吸収式温水機	HAU-BGH700 EXS	2,461	700	2,264		162.0	210.3	40.6	1,827	2,372	16.6	15.8	16.6	15.8	1.34	1.34	B-2
吸収式温水機	HAU-BGH750 EXS	2,637	750	2,264		173.6	210.3	40.6	1,958	2,372	16.6	15.8	16.6	15.8	1.34	1.34	B-2
吸収式温水機	HAU-BGH800 EXS	2,813	800	2,695		185.1	250.4	40.6	2,088	2,824	19.5	19.1	19.5	19.1	1.33	1.34	B-2
吸収式温水機	HAU-BGH900 EXS	3,165	900	2,695		208.3	250.4	40.6	2,349	2,824	19.5	19.1	19.5	19.1	1.34	1.34	B-2
吸収式温水機	HAU-BGH1000 EXS	3,516	1,000	3,256		231.4	302.5	40.6	2,610	3,412	23.1	22.8	23.1	22.8	1.34	1.34	B-2
吸収式温水機	HAU-CGN120 EXSPA	422	120	386		27.2	35.9	40.6	306	404	5.4	5.4	5.4	5.4	1.35	1.35	B-2
吸収式温水機	HAU-CGN150 EXSPA	527	150	386		34.0	35.9	40.6	383	404	5.4	5.4	5.4	5.4	1.36	1.36	B-2
吸収式温水機	HAU-CGN180 EXSPA	633	180	500		40.8	46.5	40.6	460	524	7.4	8.6	7.4	8.6	1.35	1.35	B-2
吸収式温水機	HAU-CGN210 EXSPA	738	210	644		47.6	59.8	40.6	536	675	8.0	7.9	8.0	7.9	1.36	1.36	B-2
吸収式温水機	HAU-CGN240 EXSPA	844	240	644		54.3	59.8	40.6	613	675	8.0	7.9	8.0	7.9	1.36	1.36	B-2
吸収式温水機	HAU-CGN280 EXSPA	985	280	779		63.4	72.4	40.6	715	816	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収式温水機	HAU-CGN300 EXSPA	1,055	300	779		67.9	72.4	40.6	766	816	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収式温水機	HAU-CGN300 EXSPA	1,055	300	779		67.9	72.4	40.6	766	816	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収式温水機	HAU-CGN360 EXSPA	1,266	360	1,000		81.5	92.9	40.6	919	1,048	11.7	11.1	11.7	11.1	1.36	1.36	B-2
吸収式温水機	HAU-CGN400 EXSPA	1,407	400	1,000		90.6	92.9	40.6	1,022	1,048	11.7	11.1	11.7	11.1	1.36	1.36	B-2
吸収式温水機	HAU-CGN450 EXSPA	1,582	450	1,291		101.9	119.9	40.6	1,149	1,353	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収式温水機	HAU-CGN450 EXSPA	1,582	450	1,291		101.9	119.9	40.6	1,149	1,353	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収式温水機	HAU-CGN500 EXSPA	1,758	500	1,291		113.2	119.9	40.6	1,277	1,353	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収式温水機	HAU-CGN560 EXSPA	1,969	560	1,613		126.8	149.9	40.6	1,430	1,690	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収式温水機	HAU-CGN560 EXSPA	1,969	560	1,613		126.8	149.9	40.6	1,430	1,690	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収式温水機	HAU-CGN630 EXSPA	2,215	630	1,613		142.7	149.9	40.6	1,609	1,690	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収式温水機	HAU-CGN700 EXSPA	2,461	700	1,936		158.5	179.9	40.6	1,788	2,029	14.9	14.1	14.9	14.1	1.37	1.37	B-2
吸収式温水機	HAU-CGN750 EXSPA	2,637	750	1,936		169.8	179.9	40.6	1,915	2,029	14.9	14.1	14.9	14.1	1.37	1.37	B-2
吸収式温水機	HAU-CGN800 EXSPA	2,813	800	2,264		181.2	210.3	40.6	2,043	2,372	17.7	17.2	17.7	17.2	1.37	1.37	B-2
吸収式温水機	HAU-CGN900 EXSPA	3,165	900	2,264		203.8	210.3	40.6	2,298	2,372	17.7	17.2	17.7	17.2	1.37	1.37	B-2
吸収式温水機	HAU-CGN1000 EXSPA	3,516	1,000	2,695		226.4	250.4	40.6	2,554	2,824	19.5	19.1	19.5	19.1	1.37	1.37	B-2
吸収式温水機	HAU-CGN120 EXSP	422	120	386		27.8	35.9	40.6	313	404	5.4	5.4	5.4	5.4	1.32	1.32	B-2
吸収式温水機	HAU-CGN150 EXSP	527	150	386		34.7	35.9	40.6	392	404	5.4	5.4	5.4	5.4	1.33	1.33	B-2
吸収式温水機	HAU-CGN180 EXSP	633	180	500		41.7	46.5	40.6	470	524	7.4	8.6	7.4	8.6	1.33	1.32	B-2
吸収式温水機	HAU-CGN210 EXSP	738	210	644		48.6	59.8	40.6	548	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸収式温水機	HAU-CGN240 EXSP	844	240	644		55.5	59.8	40.6	626	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸収式温水機	HAU-CGN280 EXSP	985	280	779		64.8	72.4	40.6	731								

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸収式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力		ガス流量(m <sup>3</sup> N/h)		真発熱量 MJ/m <sup>3</sup> N	加熱源消費熱量(kW)		消費電力(kW)				性能確認方法 の区分		
		kW	USRT	kW		冷房	暖房		冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)		50Hz	60Hz
吸収冷凍水機	HAU-CGN120 EXS	422	120	386		27.8	35.9	40.6	313	404	5.4	5.4	5.4	5.4	1.32	1.32	B-2
吸収冷凍水機	HAU-CGN150 EXS	527	150	386		34.7	35.9	40.6	392	404	5.4	5.4	5.4	5.4	1.33	1.33	B-2
吸収冷凍水機	HAU-CGN180 EXS	633	180	500		41.7	46.5	40.6	470	524	7.4	8.6	7.4	8.6	1.33	1.32	B-2
吸収冷凍水機	HAU-CGN210 EXS	738	210	644		48.6	59.8	40.6	548	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸収冷凍水機	HAU-CGN240 EXS	844	240	644		55.5	59.8	40.6	626	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸収冷凍水機	HAU-CGN280 EXS	985	280	779		64.8	72.4	40.6	731	816	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CGN300 EXS	1,055	300	779		69.4	72.4	40.6	783	816	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CGN360 EXS	1,266	360	1,000		83.3	92.9	40.6	940	1,048	11.7	11.1	11.7	11.1	1.33	1.33	B-2
吸収冷凍水機	HAU-CGN400 EXS	1,407	400	1,000		92.6	92.9	40.6	1,044	1,048	11.7	11.1	11.7	11.1	1.33	1.33	B-2
吸収冷凍水機	HAU-CGN450 EXS	1,582	450	1,291		104.1	119.9	40.6	1,175	1,353	13.2	12.6	13.2	12.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CGN500 EXS	1,758	500	1,291		115.7	119.9	40.6	1,305	1,353	13.2	12.6	13.2	12.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CGN560 EXS	1,969	560	1,613		129.6	149.9	40.6	1,462	1,690	14.9	14.1	14.9	14.1	1.33	1.33	B-2
吸収冷凍水機	HAU-CGN630 EXS	2,215	630	1,613		145.8	149.9	40.6	1,644	1,690	14.9	14.1	14.9	14.1	1.34	1.34	B-2
吸収冷凍水機	HAU-CGN700 EXS	2,461	700	1,936		162.0	179.9	40.6	1,827	2,029	14.9	14.1	14.9	14.1	1.34	1.34	B-2
吸収冷凍水機	HAU-CGN750 EXS	2,637	750	1,936		173.6	179.9	40.6	1,958	2,029	14.9	14.1	14.9	14.1	1.34	1.34	B-2
吸収冷凍水機	HAU-CGN800 EXS	2,813	800	2,264		185.1	210.3	40.6	2,088	2,372	17.7	17.2	17.7	17.2	1.34	1.34	B-2
吸収冷凍水機	HAU-CGN900 EXS	3,165	900	2,264		208.3	210.3	40.6	2,349	2,372	17.7	17.2	17.7	17.2	1.34	1.34	B-2
吸収冷凍水機	HAU-CGN1000 EXS	3,516	1,000	2,695		231.4	250.4	40.6	2,610	2,824	19.5	19.1	19.5	19.1	1.34	1.34	B-2
吸収冷凍水機	HAU-CGH120 EXSPA	422	120	449		27.2	41.7	40.6	306	470	5.4	5.4	5.4	5.4	1.35	1.35	B-2
吸収冷凍水機	HAU-CGH150 EXSPA	527	150	449		34.0	41.7	40.6	383	470	5.4	5.4	5.4	5.4	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH180 EXSPA	633	180	540		40.8	50.2	40.6	460	566	8.2	9.3	8.2	9.3	1.35	1.35	B-2
吸収冷凍水機	HAU-CGH210 EXSPA	738	210	719		47.6	66.8	40.6	536	753	8.7	8.6	8.7	8.6	1.35	1.36	B-2
吸収冷凍水機	HAU-CGH240 EXSPA	844	240	719		54.3	66.8	40.6	613	753	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH280 EXSPA	985	280	958		63.4	89.0	40.6	715	1,004	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH300 EXSPA	1,055	300	958		67.9	89.0	40.6	766	1,004	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH360 EXSPA	1,266	360	958		67.9	89.0	40.6	766	1,004	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH380 EXSPA	1,266	360	1,291		81.5	119.9	40.6	919	1,353	11.7	11.1	11.7	11.1	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH400 EXSPA	1,407	400	1,291		90.6	119.9	40.6	1,022	1,353	11.7	11.1	11.7	11.1	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH450 EXSPA	1,582	450	1,613		101.9	149.9	40.6	1,149	1,690	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH500 EXSPA	1,758	500	1,613		113.2	149.9	40.6	1,277	1,690	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH560 EXSPA	1,969	560	1,936		126.8	179.9	40.6	1,430	2,029	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH630 EXSPA	2,215	630	1,936		142.7	179.9	40.6	1,609	2,029	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH700 EXSPA	2,461	700	2,264		158.5	210.3	40.6	1,788	2,372	16.6	15.8	16.6	15.8	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH750 EXSPA	2,637	750	2,264		169.8	210.3	40.6	1,915	2,372	16.6	15.8	16.6	15.8	1.37	1.37	B-2
吸収冷凍水機	HAU-CGH800 EXSPA	2,813	800	2,695		181.2	250.4	40.6	2,043	2,824	19.5	19.1	19.5	19.1	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH900 EXSPA	3,165	900	2,695		203.8	250.4	40.6	2,298	2,824	19.5	19.1	19.5	19.1	1.37	1.37	B-2
吸収冷凍水機	HAU-CGH1000 EXSPA	3,516	1,000	3,256		226.4	302.5	40.6	2,554	3,412	23.1	22.8	23.1	22.8	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH120 EXSA	422	120	449		27.2	41.7	40.6	306	470	5.4	5.4	5.4	5.4	1.35	1.35	B-2
吸収冷凍水機	HAU-CGH150 EXSA	527	150	449		34.0	41.7	40.6	383	470	5.4	5.4	5.4	5.4	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH180 EXSA	633	180	540		40.8	50.2	40.6	460	566	8.2	9.3	8.2	9.3	1.35	1.35	B-2
吸収冷凍水機	HAU-CGH210 EXSA	738	210	719		47.6	66.8	40.6	536	753	8.7	8.6	8.7	8.6	1.35	1.36	B-2
吸収冷凍水機	HAU-CGH240 EXSA	844	240	719		54.3	66.8	40.6	613	753	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH280 EXSA	985	280	958		63.4	89.0	40.6	715	1,004	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH300 EXSA	1,055	300	958		67.9	89.0	40.6	766	1,004	8.7	8.6	8.7	8.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH360 EXSA	1,266	360	1,291		81.5	119.9	40.6	919	1,353	11.7	11.1	11.7	11.1	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH380 EXSA	1,266	360	1,291		90.6	119.9	40.6	1,022	1,353	11.7	11.1	11.7	11.1	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH450 EXSA	1,582	450	1,613		101.9	149.9	40.6	1,149	1,690	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH500 EXSA	1,758	500	1,613		113.2	149.9	40.6	1,277	1,690	13.2	12.6	13.2	12.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH560 EXSA	1,969	560	1,936		126.8	179.9	40.6	1,430	2,029	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH630 EXSA	2,215	630	1,936		142.7	179.9	40.6	1,609	2,029	14.9	14.1	14.9	14.1	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH700 EXSA	2,461	700	2,264		158.5	210.3	40.6	1,788	2,372	16.6	15.8	16.6	15.8	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH750 EXSA	2,637	750	2,264		169.8	210.3	40.6	1,915	2,372	16.6	15.8	16.6	15.8	1.37	1.37	B-2
吸収冷凍水機	HAU-CGH800 EXSA	2,813	800	2,695		181.2	250.4	40.6	2,043	2,824	19.5	19.1	19.5	19.1	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH900 EXSA	3,165	900	2,695		203.8	250.4	40.6	2,298	2,824	19.5	19.1	19.5	19.1	1.37	1.37	B-2
吸収冷凍水機	HAU-CGH1000 EXSA	3,516	1,000	3,256		226.4	302.5	40.6	2,554	3,412	23.1	22.8	23.1	22.8	1.36	1.36	B-2
吸収冷凍水機	HAU-CGH120 EXSP	422	120	449		27.8	41.7	40.6	313	470	5.4	5.4	5.4	5.4	1.32	1.32	B-2
吸収冷凍水機	HAU-CGH150 EXSP	527	150	449		34.7	41.7	40.6	392	470	5.4	5.4	5.4	5.4	1.33	1.33	B-2
吸収冷凍水機	HAU-CGH180 EXSP	633	180	540		41.7	50.2	40.6	470	566	8.2	9.3	8.2	9.3	1.32	1.32	B-2
吸収冷凍水機	HAU-CGH210 EXSP	738	210	719		48.6	66.8	40.6	548	753	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CGH240 EXSP	844	240	719		55.5	66.8	40.6	626	753	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CGH280 EXSP	985	280	958		64.8	89.0	40.6	731	1,004	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CGH300 EXSP	1,055	300	958		69.4	89.0	40.6	783	1,004	8.7	8.6	8.7	8.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CGH360 EXSP	1,266	360	1,291		83.3	119.9	40.6	940	1,353	11.7	11.1	11.7	11.1	1.33	1.33	B-2
吸収冷凍水機	HAU-CGH400 EXSP	1,407	400	1,291		92.6	119.9	40.6	1,044	1,353	11.7	11.1	11.7	11.1	1.33	1.33	B-2
吸収冷凍水機	HAU-CGH450 EXSP	1,582	450	1,613		104.1	149.9	40.6	1,175	1,690	13.2	12.6	13.2	12.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CGH500 EXSP	1,758	500	1,613		115.7	149.9	40.6	1,305	1,690	13.2	12.6	13.2	12.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CGH560 EXSP	1,969	560	1,936		129.6	179.9	40.6	1,462	2,029	14.9	14.1	14.9	14.1	1.33	1.33	B-2
吸収冷凍水機	HAU-CGH630 EXSP	2,215	630	1,936		145.8	179.9	40.6	1,644	2,029	14.9	14.1	14.9	14.1	1.34	1.34	B-2
吸収冷凍水機	HAU-CGH700 EXSP	2,461	700	2,264		162.0	210.3	40.6	1,827	2,372	16.6	15.8	16.6	15.8	1.34	1.34	B-2
吸収冷凍水機	HAU-CGH750 EXSP	2,637	750	2,264		173.6	210.3	40.6	1,958	2,372	16.6	15.8	16.6	15.8	1.34	1.34	B-2
吸収冷凍水機	HAU-CGH800 EXSP	2,813	800	2,695		185.1	250.4	40.6	2,088	2,824	19.5	19.1	19.5	19.1	1.33	1.34	B-2
吸収冷凍水機	HAU-CGH900 EXSP	3,165	900	2,695		208.3	250.4	40.6	2,349	2,824	19.5	19.1	19.5	19.1	1.34	1.34	B-2
吸収冷凍水機	HAU-CGH1000 EXSP	3,516	1,000	3,256		231.4	302.5	40.6	2,610	3,412	23.1</						

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸気式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力		油流量(kg/h)-灯油		真発熱量		加熱率消費熱量(kW)		消費電力(kW)				性能確認方法の区分
		kW	USRT	kW		冷房	暖房	kJ/kg	冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)	50Hz	
吸気式冷凍機	HAU-BKN120 EXSPA	422	120	386	25.3	33.5	43.500	305	404	5.4	5.4	5.4	5.4	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN150 EXSPA	527	150	386	31.6	33.5	43.500	382	404	5.4	5.4	5.4	5.4	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN180 EXSPA	633	180	500	37.9	43.3	43.500	458	524	7.7	8.8	7.7	8.8	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN210 EXSPA	738	210	644	44.2	55.8	43.500	534	675	8.0	7.9	8.0	7.9	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN240 EXSPA	844	240	644	50.6	55.8	43.500	611	675	8.0	7.9	8.0	7.9	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN280 EXSPA	985	280	779	59.0	67.5	43.500	713	816	7.9	7.8	7.9	7.8	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN300 EXSPA	1,055	300	779	63.2	67.5	43.500	764	816	7.9	7.8	7.9	7.8	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN360 EXSPA	1,266	360	1,000	75.8	86.7	43.500	916	1,047	13.1	11.1	13.1	11.1	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN400 EXSPA	1,407	400	1,000	84.3	86.7	43.500	1,018	1,047	13.1	11.1	13.1	11.1	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN450 EXSPA	1,582	450	1,291	94.8	111.9	43.500	1,145	1,352	13.1	12.6	13.1	12.6	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN500 EXSPA	1,758	500	1,291	105.3	111.9	43.500	1,273	1,352	13.1	12.6	13.1	12.6	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN560 EXSPA	1,969	560	1,613	118.0	139.8	43.500	1,425	1,690	17.6	16.5	17.6	16.5	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN630 EXSPA	2,215	630	1,613	132.7	139.8	43.500	1,603	1,690	17.6	16.5	17.6	16.5	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN700 EXSPA	2,461	700	1,936	147.4	167.8	43.500	1,782	2,028	19.5	18.6	19.5	18.6	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN750 EXSPA	2,637	750	1,936	158.0	167.8	43.500	1,909	2,028	19.5	18.6	19.5	18.6	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN800 EXSPA	2,813	800	2,264	168.5	196.3	43.500	2,036	2,371	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN900 EXSPA	3,165	900	2,264	189.6	196.3	43.500	2,291	2,371	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN1000 EXSPA	3,516	1,000	2,695	210.6	233.6	43.500	2,545	2,823	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN120 EXSA	422	120	386	25.3	33.5	43.500	305	404	5.4	5.4	5.4	5.4	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN150 EXSA	527	150	386	31.6	33.5	43.500	382	404	5.4	5.4	5.4	5.4	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN180 EXSA	633	180	500	37.9	43.3	43.500	458	524	7.7	8.8	7.7	8.8	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN210 EXSA	738	210	644	44.2	55.8	43.500	534	675	8.0	7.9	8.0	7.9	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN240 EXSA	844	240	644	50.6	55.8	43.500	611	675	8.0	7.9	8.0	7.9	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN280 EXSA	985	280	779	59.0	67.5	43.500	713	816	7.9	7.8	7.9	7.8	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN300 EXSA	1,055	300	779	63.2	67.5	43.500	764	816	7.9	7.8	7.9	7.8	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN360 EXSA	1,266	360	1,000	75.8	86.7	43.500	916	1,047	13.1	11.1	13.1	11.1	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN400 EXSA	1,407	400	1,000	84.3	86.7	43.500	1,018	1,047	13.1	11.1	13.1	11.1	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN450 EXSA	1,582	450	1,291	94.8	111.9	43.500	1,145	1,352	13.1	12.6	13.1	12.6	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN500 EXSA	1,758	500	1,291	105.3	111.9	43.500	1,273	1,352	13.1	12.6	13.1	12.6	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN560 EXSA	1,969	560	1,613	118.0	139.8	43.500	1,425	1,690	17.6	16.5	17.6	16.5	1.36	1.36	B-2
吸気式冷凍機	HAU-BKN630 EXSA	2,215	630	1,613	132.7	139.8	43.500	1,603	1,690	17.6	16.5	17.6	16.5	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN700 EXSA	2,461	700	1,936	147.4	167.8	43.500	1,782	2,028	19.5	18.6	19.5	18.6	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN750 EXSA	2,637	750	1,936	158.0	167.8	43.500	1,909	2,028	19.5	18.6	19.5	18.6	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN800 EXSA	2,813	800	2,264	168.5	196.3	43.500	2,036	2,371	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN900 EXSA	3,165	900	2,264	189.6	196.3	43.500	2,291	2,371	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN1000 EXSA	3,516	1,000	2,695	210.6	233.6	43.500	2,545	2,823	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN120 EXSP	422	120	386	25.3	33.5	43.500	313	404	5.4	5.4	5.4	5.4	1.32	1.32	B-2
吸気式冷凍機	HAU-BKN150 EXSP	527	150	386	32.4	33.5	43.500	392	404	5.4	5.4	5.4	5.4	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN180 EXSP	633	180	500	38.9	43.3	43.500	470	524	7.7	8.8	7.7	8.8	1.33	1.32	B-2
吸気式冷凍機	HAU-BKN210 EXSP	738	210	644	45.4	55.8	43.500	548	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN240 EXSP	844	240	644	51.8	55.8	43.500	626	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN280 EXSP	985	280	779	60.5	67.5	43.500	731	816	7.9	7.8	7.9	7.8	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN300 EXSP	1,055	300	779	64.8	67.5	43.500	783	816	7.9	7.8	7.9	7.8	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN360 EXSP	1,266	360	1,000	77.8	86.7	43.500	940	1,047	13.1	11.1	13.1	11.1	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN400 EXSP	1,407	400	1,000	86.4	86.7	43.500	1,044	1,047	13.1	11.1	13.1	11.1	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN450 EXSP	1,582	450	1,291	97.2	111.9	43.500	1,175	1,352	13.1	12.6	13.1	12.6	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN500 EXSP	1,758	500	1,291	108.0	111.9	43.500	1,305	1,352	13.1	12.6	13.1	12.6	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN560 EXSP	1,969	560	1,613	121.0	139.8	43.500	1,462	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN630 EXSP	2,215	630	1,613	136.1	139.8	43.500	1,644	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN700 EXSP	2,461	700	1,936	151.2	167.8	43.500	1,827	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN750 EXSP	2,637	750	1,936	162.0	167.8	43.500	1,958	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN800 EXSP	2,813	800	2,264	172.8	196.3	43.500	2,088	2,371	20.8	20.0	20.8	20.0	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN900 EXSP	3,165	900	2,264	194.4	196.3	43.500	2,349	2,371	20.8	20.0	20.8	20.0	1.34	1.34	B-2
吸気式冷凍機	HAU-BKN1000 EXSP	3,516	1,000	2,695	216.0	233.6	43.500	2,610	2,823	20.8	20.0	20.8	20.0	1.34	1.34	B-2
吸気式冷凍機	HAU-BKN120 EXS	422	120	386	25.9	33.5	43.500	313	404	5.4	5.4	5.4	5.4	1.32	1.32	B-2
吸気式冷凍機	HAU-BKN150 EXS	527	150	386	32.4	33.5	43.500	392	404	5.4	5.4	5.4	5.4	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN180 EXS	633	180	500	38.9	43.3	43.500	470	524	7.7	8.8	7.7	8.8	1.33	1.32	B-2
吸気式冷凍機	HAU-BKN210 EXS	738	210	644	45.4	55.8	43.500	548	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN240 EXS	844	240	644	51.8	55.8	43.500	626	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN280 EXS	985	280	779	60.5	67.5	43.500	731	816	7.9	7.8	7.9	7.8	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN300 EXS	1,055	300	779	64.8	67.5	43.500	783	816	7.9	7.8	7.9	7.8	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN360 EXS	1,266	360	1,000	77.8	86.7	43.500	940	1,047	13.1	11.1	13.1	11.1	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN400 EXS	1,407	400	1,000	86.4	86.7	43.500	1,044	1,047	13.1	11.1	13.1	11.1	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN450 EXS	1,582	450	1,291	97.2	111.9	43.500	1,175	1,352	13.1	12.6	13.1	12.6	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN500 EXS	1,758	500	1,291	108.0	111.9	43.500	1,305	1,352	13.1	12.6	13.1	12.6	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN560 EXS	1,969	560	1,613	121.0	139.8	43.500	1,462	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN630 EXS	2,215	630	1,613	136.1	139.8	43.500	1,644	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN700 EXS	2,461	700	1,936	151.2	167.8	43.500	1,827	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN750 EXS	2,637	750	1,936	162.0	167.8	43.500	1,958	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN800 EXS	2,813	800	2,264	172.8	196.3	43.500	2,088	2,371	20.8	20.0	20.8	20.0	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN900 EXS	3,165	900	2,264	194.4	196.3	43.500	2,349	2,371	20.8	20.0	20.8	20.0	1.34	1.34	B-2
吸気式冷凍機	HAU-BKN1000 EXS	3,516	1,000	2,695	216.0	233.6	43.500	2,610	2,823	20.8	20.0	20.8	20.0	1.34	1.34	B-2
吸気式冷凍機	HAU-BKH120 EXSPA	422	120	449	25.3	38.9	43.500	305	470	5.6	5.6	5.6	5.6	1.36	1.36	B-2
吸気式冷凍機	HAU-BKH150 EXSPA	527	150	449												

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸収式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力		油流量(kg/h)-灯油		真発熱量		加熱消費熱量(kW)		消費電力(kW)				性能確認方式の区分
		kW	USRT	kW	kW	冷房	暖房	冷房	暖房	冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)	
吸収冷凍水機	HAU-BKH450 EXSA	1,582	450	1,613	94.8	139.8	43,500	1,145	1,690	15.9	15.0	15.9	15.0	1.36	1.36	B-2
吸収冷凍水機	HAU-BKH500 EXSA	1,758	500	1,613	105.3	139.8	43,500	1,273	1,690	15.9	15.0	15.9	15.0	1.36	1.37	B-2
吸収冷凍水機	HAU-BKH560 EXSA	1,969	560	1,936	118.0	167.8	43,500	1,425	2,028	19.5	18.6	19.5	18.6	1.36	1.36	B-2
吸収冷凍水機	HAU-BKH630 EXSA	2,215	630	1,936	132.7	167.8	43,500	1,603	2,028	19.5	18.6	19.5	18.6	1.36	1.37	B-2
吸収冷凍水機	HAU-BKH700 EXSA	2,461	700	2,264	147.4	196.3	43,500	1,782	2,371	19.7	18.6	19.7	18.6	1.37	1.37	B-2
吸収冷凍水機	HAU-BKH750 EXSA	2,637	750	2,264	158.0	196.3	43,500	1,909	2,371	19.7	18.6	19.7	18.6	1.37	1.37	B-2
吸収冷凍水機	HAU-BKH800 EXSA	2,813	800	2,695	168.5	233.6	43,500	2,036	2,823	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸収冷凍水機	HAU-BKH900 EXSA	3,165	900	2,695	189.6	233.6	43,500	2,291	2,823	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸収冷凍水機	HAU-BKH1000 EXSA	3,516	1,000	3,256	210.6	282.3	43,500	2,545	3,411	23.0	22.6	23.0	22.6	1.37	1.37	B-2
吸収冷凍水機	HAU-BKH120 EXSP	422	120	449	25.9	38.9	43,500	313	470	5.6	5.6	5.6	5.6	1.32	1.32	B-2
吸収冷凍水機	HAU-BKH150 EXSP	527	150	449	32.4	38.9	43,500	392	470	5.6	5.6	5.6	5.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH180 EXSP	633	180	540	38.9	46.8	43,500	470	566	8.2	9.4	8.2	9.4	1.32	1.32	B-2
吸収冷凍水機	HAU-BKH210 EXSP	738	210	719	45.4	62.3	43,500	548	753	8.0	8.0	8.0	8.0	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH240 EXSP	844	240	719	51.8	62.3	43,500	626	753	8.0	8.0	8.0	8.0	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH280 EXSP	985	280	958	60.5	83.0	43,500	731	1,003	10.1	8.6	10.1	8.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH300 EXSP	1,055	300	958	64.8	83.0	43,500	783	1,003	10.1	8.6	10.1	8.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH360 EXSP	1,266	360	1,291	77.8	111.9	43,500	940	1,352	13.1	12.3	13.1	12.3	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH400 EXSP	1,407	400	1,291	86.4	111.9	43,500	1,044	1,352	13.1	12.3	13.1	12.3	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH450 EXSP	1,582	450	1,613	97.2	139.8	43,500	1,175	1,690	15.9	15.0	15.9	15.0	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH500 EXSP	1,758	500	1,613	108.0	139.8	43,500	1,305	1,690	15.9	15.0	15.9	15.0	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH560 EXSP	1,969	560	1,936	121.0	167.8	43,500	1,462	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH630 EXSP	2,215	630	1,936	136.1	167.8	43,500	1,644	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH700 EXSP	2,461	700	2,264	151.2	196.3	43,500	1,827	2,371	19.7	18.6	19.7	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH750 EXSP	2,637	750	2,264	162.0	196.3	43,500	1,958	2,371	19.7	18.6	19.7	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH800 EXSP	2,813	800	2,695	172.8	233.6	43,500	2,088	2,823	20.8	20.0	20.8	20.0	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH900 EXSP	3,165	900	2,695	194.4	233.6	43,500	2,349	2,823	20.8	20.0	20.8	20.0	1.34	1.34	B-2
吸収冷凍水機	HAU-BKH1000 EXSP	3,516	1,000	3,256	216.0	282.3	43,500	2,610	3,411	23.0	22.6	23.0	22.6	1.34	1.34	B-2
吸収冷凍水機	HAU-BKH120 EXS	422	120	449	25.9	38.9	43,500	313	470	5.6	5.6	5.6	5.6	1.32	1.32	B-2
吸収冷凍水機	HAU-BKH150 EXS	527	150	449	32.4	38.9	43,500	392	470	5.6	5.6	5.6	5.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH180 EXS	633	180	540	38.9	46.8	43,500	470	566	8.2	9.4	8.2	9.4	1.32	1.32	B-2
吸収冷凍水機	HAU-BKH210 EXS	738	210	719	45.4	62.3	43,500	548	753	8.0	8.0	8.0	8.0	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH240 EXS	844	240	719	51.8	62.3	43,500	626	753	8.0	8.0	8.0	8.0	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH280 EXS	985	280	958	60.5	83.0	43,500	731	1,003	10.1	8.6	10.1	8.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH300 EXS	1,055	300	958	64.8	83.0	43,500	783	1,003	10.1	8.6	10.1	8.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH360 EXS	1,266	360	1,291	77.8	111.9	43,500	940	1,352	13.1	12.3	13.1	12.3	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH400 EXS	1,407	400	1,291	86.4	111.9	43,500	1,044	1,352	13.1	12.3	13.1	12.3	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH450 EXS	1,582	450	1,613	97.2	139.8	43,500	1,175	1,690	15.9	15.0	15.9	15.0	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH500 EXS	1,758	500	1,613	108.0	139.8	43,500	1,305	1,690	15.9	15.0	15.9	15.0	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH560 EXS	1,969	560	1,936	121.0	167.8	43,500	1,462	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH630 EXS	2,215	630	1,936	136.1	167.8	43,500	1,644	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH700 EXS	2,461	700	2,264	151.2	196.3	43,500	1,827	2,371	19.7	18.6	19.7	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH750 EXS	2,637	750	2,264	162.0	196.3	43,500	1,958	2,371	19.7	18.6	19.7	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH800 EXS	2,813	800	2,695	172.8	233.6	43,500	2,088	2,823	20.8	20.0	20.8	20.0	1.33	1.33	B-2
吸収冷凍水機	HAU-BKH900 EXS	3,165	900	2,695	194.4	233.6	43,500	2,349	2,823	20.8	20.0	20.8	20.0	1.34	1.34	B-2
吸収冷凍水機	HAU-BKH1000 EXS	3,516	1,000	3,256	216.0	282.3	43,500	2,610	3,411	23.0	22.6	23.0	22.6	1.34	1.34	B-2
吸収冷凍水機	HAU-CKN120 EXSPA	422	120	386	25.3	33.5	43,500	305	404	5.4	5.4	5.4	5.4	1.36	1.36	B-2
吸収冷凍水機	HAU-CKN150 EXSPA	527	150	386	31.6	33.5	43,500	382	404	5.4	5.4	5.4	5.4	1.36	1.36	B-2
吸収冷凍水機	HAU-CKN180 EXSPA	633	180	500	37.9	43.3	43,500	458	524	7.7	8.8	7.7	8.8	1.36	1.36	B-2
吸収冷凍水機	HAU-CKN210 EXSPA	738	210	644	44.2	55.8	43,500	534	675	8.0	7.9	8.0	7.9	1.36	1.36	B-2
吸収冷凍水機	HAU-CKN240 EXSPA	844	240	644	50.6	55.8	43,500	611	675	8.0	7.9	8.0	7.9	1.36	1.36	B-2
吸収冷凍水機	HAU-CKN280 EXSPA	985	280	779	59.0	67.5	43,500	713	816	7.9	7.8	7.9	7.8	1.37	1.37	B-2
吸収冷凍水機	HAU-CKN300 EXSPA	1,055	300	779	63.2	67.5	43,500	764	816	7.9	7.8	7.9	7.8	1.37	1.37	B-2
吸収冷凍水機	HAU-CKN360 EXSPA	1,266	360	1,000	75.8	86.7	43,500	916	1,047	13.1	11.1	13.1	11.1	1.36	1.36	B-2
吸収冷凍水機	HAU-CKN400 EXSPA	1,407	400	1,000	84.3	86.7	43,500	1,018	1,047	13.1	11.1	13.1	11.1	1.36	1.37	B-2
吸収冷凍水機	HAU-CKN450 EXSPA	1,582	450	1,291	94.8	111.9	43,500	1,145	1,352	13.1	12.6	13.1	12.6	1.37	1.37	B-2
吸収冷凍水機	HAU-CKN500 EXSPA	1,758	500	1,291	105.3	111.9	43,500	1,273	1,352	13.1	12.6	13.1	12.6	1.37	1.37	B-2
吸収冷凍水機	HAU-CKN560 EXSPA	1,969	560	1,613	118.0	139.8	43,500	1,425	1,690	17.6	16.5	17.6	16.5	1.37	1.37	B-2
吸収冷凍水機	HAU-CKN630 EXSPA	2,215	630	1,613	132.7	139.8	43,500	1,603	1,690	17.6	16.5	17.6	16.5	1.37	1.37	B-2
吸収冷凍水機	HAU-CKN700 EXSPA	2,461	700	1,936	147.4	167.8	43,500	1,782	2,028	19.5	18.6	19.5	18.6	1.37	1.37	B-2
吸収冷凍水機	HAU-CKN750 EXSPA	2,637	750	1,936	158.0	167.8	43,500	1,909	2,028	19.5	18.6	19.5	18.6	1.37	1.37	B-2
吸収冷凍水機	HAU-CKN800 EXSPA	2,813	800	2,264	168.5	196.3	43,500	2,036	2,371	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸収冷凍水機	HAU-CKN900 EXSPA	3,165	900	2,264	189.6	196.3	43,500	2,291	2,371	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸収冷凍水機	HAU-CKN1000 EXSPA	3,516	1,000	2,695	210.6	233.6	43,500	2,545	2,823	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸収冷凍水機	HAU-CKN120 EXSP	422	120	386	25.9	33.5	43,500	313	404	5.4	5.4	5.4	5.4	1.32	1.32	B-2
吸収冷凍水機	HAU-CKN150 EXSP	527	150	386	32.4	33.5	43,500	392	404	5.4	5.4	5.4	5.4	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN180 EXSP	633	180	500	38.9	43.3	43,500	470	524	7.7	8.8	7.7	8.8	1.33	1.32	B-2
吸収冷凍水機	HAU-CKN210 EXSP	738	210	644	45.4	55.8	43,500	548	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN240 EXSP	844	240	644	51.8	55.8	43,500	626	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN280 EXSP	985	280	779	60.5	67.5	43,500	731	816	7.9	7.8	7.9	7.8	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN300 EXSP	1,055	300	779	64.8	67.5	43,500	783	816	7.9	7.8	7.9	7.8	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN360 EXSP	1,266	360	1,000	77.8	86.7	43,500	940	1,047	13.1	11.1	13.1	11.1	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN400 EXSP	1,407	400	1,000	84.3	86.7	43,500	1,044	1,047	13.1	11.1	13.1	11.1	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN450 EXSP	1,582	450	1,291	97.2	111.9	43,500	1,175	1,352	13.1	12.6	13.1	12.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN500 EXSP	1,758	500	1,291	108.0	111.9										

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸収式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力		油流量(kg/h)・灯油	真発熱量	加熱熱消費熱量(kW)		消費電力(kW)				性能確認方法の区分		
		kW	USRT	kW	kW			冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)		50Hz	60Hz
吸収冷凍水機	HAU-CKN120 EXS	422	120	386	25.9	33.5	43,500	313	404	5.4	5.4	5.4	5.4	1.32	1.32	B-2
吸収冷凍水機	HAU-CKN150 EXS	527	150	386	32.4	33.5	43,500	392	404	5.4	5.4	5.4	5.4	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN180 EXS	633	180	500	38.9	43.3	43,500	470	524	7.7	8.8	7.7	8.8	1.33	1.32	B-2
吸収冷凍水機	HAU-CKN210 EXS	738	210	644	45.4	55.8	43,500	548	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN240 EXS	844	240	644	51.8	55.8	43,500	626	675	8.0	7.9	8.0	7.9	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN280 EXS	985	280	779	60.5	67.5	43,500	731	816	7.9	7.8	7.9	7.8	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN300 EXS	1,055	300	779	64.8	67.5	43,500	783	816	7.9	7.8	7.9	7.8	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN360 EXS	1,266	360	1,000	77.8	86.7	43,500	940	1,047	13.1	11.1	13.1	11.1	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN400 EXS	1,407	400	1,000	86.4	86.7	43,500	1,044	1,047	13.1	11.1	13.1	11.1	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN450 EXS	1,582	450	1,291	97.2	111.9	43,500	1,175	1,352	13.1	12.6	13.1	12.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN500 EXS	1,758	500	1,291	108.0	111.9	43,500	1,305	1,352	13.1	12.6	13.1	12.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN560 EXS	1,969	560	1,613	121.0	139.8	43,500	1,462	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN630 EXS	2,215	630	1,613	136.1	139.8	43,500	1,644	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN700 EXS	2,461	700	1,936	151.2	167.8	43,500	1,827	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN750 EXS	2,637	750	1,936	162.0	167.8	43,500	1,958	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN800 EXS	2,813	800	2,264	172.8	196.3	43,500	2,088	2,371	20.8	20.0	20.8	20.0	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN900 EXS	3,165	900	2,264	194.4	196.3	43,500	2,349	2,371	20.8	20.0	20.8	20.0	1.34	1.34	B-2
吸収冷凍水機	HAU-CKN1000 EXS	3,516	1,000	2,695	216.0	233.6	43,500	2,610	2,823	20.8	20.0	20.8	20.0	1.34	1.34	B-2
吸収冷凍水機	HAU-CKH120 EXSPA	422	120	449	25.3	38.9	43,500	305	470	5.6	5.6	5.6	5.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH150 EXSPA	527	150	449	31.6	38.9	43,500	382	470	5.6	5.6	5.6	5.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH180 EXSPA	633	180	540	37.9	46.8	43,500	458	566	8.2	9.4	8.2	9.4	1.36	1.35	B-2
吸収冷凍水機	HAU-CKH210 EXSPA	738	210	719	44.2	62.3	43,500	534	753	8.0	8.0	8.0	8.0	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH240 EXSPA	844	240	719	50.6	62.3	43,500	611	753	8.0	8.0	8.0	8.0	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH280 EXSPA	985	280	958	59.0	83.0	43,500	713	1,003	10.1	8.6	10.1	8.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH300 EXSPA	1,055	300	958	63.2	83.0	43,500	764	1,003	10.1	8.6	10.1	8.6	1.36	1.37	B-2
吸収冷凍水機	HAU-CKH360 EXSPA	1,266	360	1,291	75.8	111.9	43,500	916	1,352	13.1	12.3	13.1	12.3	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH400 EXSPA	1,407	400	1,291	84.3	111.9	43,500	1,018	1,352	13.1	12.3	13.1	12.3	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH450 EXSPA	1,582	450	1,613	94.8	139.8	43,500	1,145	1,690	15.9	15.0	15.9	15.0	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH500 EXSPA	1,758	500	1,613	105.3	139.8	43,500	1,273	1,690	15.9	15.0	15.9	15.0	1.36	1.37	B-2
吸収冷凍水機	HAU-CKH560 EXSPA	1,969	560	1,936	118.0	167.8	43,500	1,425	2,028	19.5	18.6	19.5	18.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH630 EXSPA	2,215	630	1,936	132.7	167.8	43,500	1,603	2,028	19.5	18.6	19.5	18.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH630 EXSPA	2,215	630	1,936	132.7	167.8	43,500	1,603	2,028	19.5	18.6	19.5	18.6	1.36	1.37	B-2
吸収冷凍水機	HAU-CKH700 EXSPA	2,461	700	2,264	147.4	196.3	43,500	1,782	2,371	19.7	18.6	19.7	18.6	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH750 EXSPA	2,637	750	2,264	158.0	196.3	43,500	1,909	2,371	19.7	18.6	19.7	18.6	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH800 EXSPA	2,813	800	2,695	168.5	233.6	43,500	2,036	2,823	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH900 EXSPA	3,165	900	2,695	189.6	233.6	43,500	2,291	2,823	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH1000 EXSPA	3,516	1,000	3,256	210.6	282.3	43,500	2,545	3,411	23.0	22.6	23.0	22.6	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH120 EXSA	422	120	449	25.3	38.9	43,500	305	470	5.6	5.6	5.6	5.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH150 EXSA	527	150	449	31.6	38.9	43,500	382	470	5.6	5.6	5.6	5.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH180 EXSA	633	180	540	37.9	46.8	43,500	458	566	8.2	9.4	8.2	9.4	1.36	1.35	B-2
吸収冷凍水機	HAU-CKH210 EXSA	738	210	719	44.2	62.3	43,500	534	753	8.0	8.0	8.0	8.0	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH240 EXSA	844	240	719	50.6	62.3	43,500	611	753	8.0	8.0	8.0	8.0	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH280 EXSA	985	280	958	59.0	83.0	43,500	713	1,003	10.1	8.6	10.1	8.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH300 EXSA	1,055	300	958	63.2	83.0	43,500	764	1,003	10.1	8.6	10.1	8.6	1.36	1.37	B-2
吸収冷凍水機	HAU-CKH360 EXSA	1,266	360	1,291	75.8	111.9	43,500	916	1,352	13.1	12.3	13.1	12.3	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH400 EXSA	1,407	400	1,291	84.3	111.9	43,500	1,018	1,352	13.1	12.3	13.1	12.3	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH450 EXSA	1,582	450	1,613	94.8	139.8	43,500	1,145	1,690	15.9	15.0	15.9	15.0	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH500 EXSA	1,758	500	1,613	105.3	139.8	43,500	1,273	1,690	15.9	15.0	15.9	15.0	1.36	1.37	B-2
吸収冷凍水機	HAU-CKH560 EXSA	1,969	560	1,936	118.0	167.8	43,500	1,425	2,028	19.5	18.6	19.5	18.6	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH630 EXSA	2,215	630	1,936	132.7	167.8	43,500	1,603	2,028	19.5	18.6	19.5	18.6	1.36	1.37	B-2
吸収冷凍水機	HAU-CKH630 EXSA	2,215	630	1,936	132.7	167.8	43,500	1,603	2,028	19.5	18.6	19.5	18.6	1.36	1.37	B-2
吸収冷凍水機	HAU-CKH700 EXSA	2,461	700	2,264	147.4	196.3	43,500	1,782	2,371	19.7	18.6	19.7	18.6	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH750 EXSA	2,637	750	2,264	158.0	196.3	43,500	1,909	2,371	19.7	18.6	19.7	18.6	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH800 EXSA	2,813	800	2,695	168.5	233.6	43,500	2,036	2,823	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH900 EXSA	3,165	900	2,695	189.6	233.6	43,500	2,291	2,823	20.8	20.0	20.8	20.0	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH1000 EXSA	3,516	1,000	3,256	210.6	282.3	43,500	2,545	3,411	23.0	22.6	23.0	22.6	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH120 EXSP	422	120	449	25.9	38.9	43,500	313	470	5.6	5.6	5.6	5.6	1.32	1.32	B-2
吸収冷凍水機	HAU-CKH150 EXSP	527	150	449	32.4	38.9	43,500	392	470	5.6	5.6	5.6	5.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH180 EXSP	633	180	540	38.9	46.8	43,500	470	566	8.2	9.4	8.2	9.4	1.32	1.32	B-2
吸収冷凍水機	HAU-CKH210 EXSP	738	210	719	45.4	62.3	43,500	548	753	8.0	8.0	8.0	8.0	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH240 EXSP	844	240	719	51.8	62.3	43,500	626	753	8.0	8.0	8.0	8.0	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH280 EXSP	985	280	958	60.5	83.0	43,500	731	1,003	10.1	8.6	10.1	8.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH300 EXSP	1,055	300	958	64.8	83.0	43,500	783	1,003	10.1	8.6	10.1	8.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH360 EXSP	1,266	360	1,291	77.8	111.9	43,500	940	1,352	13.1	12.3	13.1	12.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH400 EXSP	1,407	400	1,291	86.4	111.9	43,500	1,044	1,352	13.1	12.3	13.1	12.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH450 EXSP	1,582	450	1,613	97.2	139.8	43,500	1,175	1,690	15.9	15.0	15.9	15.0	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH500 EXSP	1,758	500	1,613	108.0	139.8	43,500	1,305	1,690	15.9	15.0	15.9	15.0	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH560 EXSP	1,969	560	1,936	121.0	167.8	43,500	1,462	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH630 EXSP	2,215	630	1,936	136.1	167.8	43,500	1,644	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH700 EXSP	2,461	700	2,264	151.2	196.3	43,500	1,827	2,371	19.7	18.6	19.7	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH750 EXSP	2,637	750	2,264	162.0	196.3	43,500	1,958	2,371	19.7	18.6	19.7	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH800 EXSP	2,813	800	2,695	172.8	233.6	43,500	2,088	2,823	20.8	20.0	20.8	20.0	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH900 EXSP	3,165	900	2,695	194.4	233.6	43,500	2,349	2,823	20.8	20.0	20.8	20.0	1.34	1.34	B-2
吸収冷凍水機	HAU-CKH1000 EXSP	3														