

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸収式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力		ガス流量(m ³ N/h)		真発熱量		加熱源消費熱量(kW)		消費電力(kW)				性能確認方法の区分
		kW	USRT	kW		冷房	暖房	冷房	暖房	冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)	
吸収冷凍水機	HAU-BGN450 EXWSPA	1,582	450	1,291	101.9	119.9	40.6	1,149	1,353	13.9	13.5	13.9	13.5	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN500 EXWSPA	1,758	500	1,291	113.2	119.9	40.6	1,277	1,353	13.9	13.5	13.9	13.5	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN560 EXWSPA	1,969	560	1,613	126.8	149.9	40.6	1,430	1,690	14.9	14.3	14.9	14.3	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN630 EXWSPA	2,215	630	1,613	142.7	149.9	40.6	1,609	1,690	14.9	14.3	14.9	14.3	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN700 EXWSPA	2,461	700	1,936	158.5	179.9	40.6	1,788	2,029	14.9	14.3	14.9	14.3	1.37	1.37	B-2
吸収冷凍水機	HAU-BGN800 EXWSPA	2,813	800	2,264	181.2	210.3	40.6	2,043	2,372	19.1	18.8	19.1	18.8	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN900 EXWSPA	3,165	900	2,264	203.8	210.3	40.6	2,298	2,372	19.1	18.8	19.1	18.8	1.37	1.37	B-2
吸収冷凍水機	HAU-BGN1000 EXWSPA	3,516	1,000	2,695	226.4	250.4	40.6	2,554	2,824	21.0	20.7	21.0	20.7	1.37	1.37	B-2
吸収冷凍水機	HAU-BGN1120 EXWSPA	3,938	1,120	2,695	253.6	250.4	40.6	2,860	2,824	28.7	28.7	28.7	28.7	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN1250 EXWSPA	4,395	1,250	3,256	283.1	302.5	40.6	3,192	3,412	28.7	28.7	28.7	28.7	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN450 EXWSA	1,582	450	1,291	101.9	119.9	40.6	1,149	1,353	13.9	13.5	13.9	13.5	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN500 EXWSA	1,758	500	1,291	113.2	119.9	40.6	1,277	1,353	13.9	13.5	13.9	13.5	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN560 EXWSA	1,969	560	1,613	126.8	149.9	40.6	1,430	1,690	14.9	14.3	14.9	14.3	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN630 EXWSA	2,215	630	1,613	142.7	149.9	40.6	1,609	1,690	14.9	14.3	14.9	14.3	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN700 EXWSA	2,461	700	1,936	158.5	179.9	40.6	1,788	2,029	14.9	14.3	14.9	14.3	1.37	1.37	B-2
吸収冷凍水機	HAU-BGN800 EXWSA	2,813	800	2,264	181.2	210.3	40.6	2,043	2,372	19.1	18.8	19.1	18.8	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN900 EXWSA	3,165	900	2,264	203.8	210.3	40.6	2,298	2,372	19.1	18.8	19.1	18.8	1.37	1.37	B-2
吸収冷凍水機	HAU-BGN1000 EXWSA	3,516	1,000	2,695	226.4	250.4	40.6	2,554	2,824	21.0	20.7	21.0	20.7	1.37	1.37	B-2
吸収冷凍水機	HAU-BGN1120 EXWSA	3,938	1,120	2,695	253.6	250.4	40.6	2,860	2,824	28.7	28.7	28.7	28.7	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN1250 EXWSA	4,395	1,250	3,256	283.1	302.5	40.6	3,192	3,412	28.7	28.7	28.7	28.7	1.36	1.36	B-2
吸収冷凍水機	HAU-BGN450 EXWSP	1,582	450	1,291	104.1	119.9	40.6	1,175	1,353	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷凍水機	HAU-BGN500 EXWSP	1,758	500	1,291	115.7	119.9	40.6	1,305	1,353	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷凍水機	HAU-BGN560 EXWSP	1,969	560	1,613	129.6	149.9	40.6	1,462	1,690	14.9	14.3	14.9	14.3	1.33	1.33	B-2
吸収冷凍水機	HAU-BGN630 EXWSP	2,215	630	1,613	145.8	149.9	40.6	1,644	1,690	14.9	14.3	14.9	14.3	1.34	1.34	B-2
吸収冷凍水機	HAU-BGN700 EXWSP	2,461	700	1,936	162.0	179.9	40.6	1,827	2,029	14.9	14.3	14.9	14.3	1.34	1.34	B-2
吸収冷凍水機	HAU-BGN800 EXWSP	2,813	800	2,264	185.1	210.3	40.6	2,088	2,372	19.1	18.8	19.1	18.8	1.34	1.34	B-2
吸収冷凍水機	HAU-BGN900 EXWSP	3,165	900	2,264	208.3	210.3	40.6	2,349	2,372	19.1	18.8	19.1	18.8	1.34	1.34	B-2
吸収冷凍水機	HAU-BGN1000 EXWSP	3,516	1,000	2,695	231.4	250.4	40.6	2,610	2,824	21.0	20.7	21.0	20.7	1.34	1.34	B-2
吸収冷凍水機	HAU-BGN1120 EXWSP	3,938	1,120	2,695	259.2	250.4	40.6	2,923	2,824	28.7	28.7	28.7	28.7	1.33	1.33	B-2
吸収冷凍水機	HAU-BGN1250 EXWSP	4,395	1,250	3,256	289.3	302.5	40.6	3,263	3,412	28.7	28.7	28.7	28.7	1.34	1.34	B-2
吸収冷凍水機	HAU-BGN450 EXWS	1,582	450	1,291	104.1	119.9	40.6	1,175	1,353	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷凍水機	HAU-BGN500 EXWS	1,758	500	1,291	115.7	119.9	40.6	1,305	1,353	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷凍水機	HAU-BGN560 EXWS	1,969	560	1,613	129.6	149.9	40.6	1,462	1,690	14.9	14.3	14.9	14.3	1.33	1.33	B-2
吸収冷凍水機	HAU-BGN630 EXWS	2,215	630	1,613	145.8	149.9	40.6	1,644	1,690	14.9	14.3	14.9	14.3	1.34	1.34	B-2
吸収冷凍水機	HAU-BGN700 EXWS	2,461	700	1,936	162.0	179.9	40.6	1,827	2,029	14.9	14.3	14.9	14.3	1.34	1.34	B-2
吸収冷凍水機	HAU-BGN800 EXWS	2,813	800	2,264	185.1	210.3	40.6	2,088	2,372	19.1	18.8	19.1	18.8	1.34	1.34	B-2
吸収冷凍水機	HAU-BGN900 EXWS	3,165	900	2,264	208.3	210.3	40.6	2,349	2,372	19.1	18.8	19.1	18.8	1.34	1.34	B-2
吸収冷凍水機	HAU-BGN1000 EXWS	3,516	1,000	2,695	231.4	250.4	40.6	2,610	2,824	21.0	20.7	21.0	20.7	1.34	1.34	B-2
吸収冷凍水機	HAU-BGN1120 EXWS	3,938	1,120	2,695	259.2	250.4	40.6	2,923	2,824	28.7	28.7	28.7	28.7	1.33	1.33	B-2
吸収冷凍水機	HAU-BGN1250 EXWS	4,395	1,250	3,256	289.3	302.5	40.6	3,263	3,412	28.7	28.7	28.7	28.7	1.34	1.34	B-2
吸収冷凍水機	HAU-BGH450 EXWSPA	1,582	450	1,613	101.9	149.9	40.6	1,149	1,690	13.9	13.5	13.9	13.5	1.36	1.36	B-2
吸収冷凍水機	HAU-BGH500 EXWSPA	1,758	500	1,613	113.2	149.9	40.6	1,277	1,690	13.9	13.5	13.9	13.5	1.36	1.36	B-2
吸収冷凍水機	HAU-BGH560 EXWSPA	1,969	560	1,936	126.8	179.9	40.6	1,430	2,029	14.9	14.3	14.9	14.3	1.36	1.36	B-2
吸収冷凍水機	HAU-BGH630 EXWSPA	2,215	630	1,936	142.7	179.9	40.6	1,609	2,029	14.9	14.3	14.9	14.3	1.36	1.36	B-2
吸収冷凍水機	HAU-BGH700 EXWSPA	2,461	700	2,264	158.5	210.3	40.6	1,788	2,372	16.7	16.2	16.7	16.2	1.36	1.36	B-2
吸収冷凍水機	HAU-BGH800 EXWSPA	2,813	800	2,695	181.2	250.4	40.6	2,043	2,824	19.8	19.4	19.8	19.4	1.36	1.36	B-2
吸収冷凍水機	HAU-BGH900 EXWSPA	3,165	900	2,695	203.8	250.4	40.6	2,298	2,824	19.8	19.4	19.8	19.4	1.37	1.37	B-2
吸収冷凍水機	HAU-BGH1000 EXWSPA	3,516	1,000	3,256	226.4	302.5	40.6	2,554	3,412	21.0	20.7	21.0	20.7	1.37	1.37	B-2
吸収冷凍水機	HAU-BGH1120 EXWSPA	3,938	1,120	3,256	253.6	302.5	40.6	2,860	3,412	21.0	20.7	21.0	20.7	1.37	1.37	B-2
吸収冷凍水機	HAU-BGH450 EXWSP	1,582	450	1,613	104.1	149.9	40.6	1,175	1,690	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷凍水機	HAU-BGH500 EXWSP	1,758	500	1,613	115.7	149.9	40.6	1,305	1,690	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷凍水機	HAU-BGH560 EXWSP	1,969	560	1,936	129.6	179.9	40.6	1,462	2,029	14.9	14.3	14.9	14.3	1.33	1.33	B-2
吸収冷凍水機	HAU-BGH630 EXWSP	2,215	630	1,936	145.8	179.9	40.6	1,644	2,029	14.9	14.3	14.9	14.3	1.34	1.34	B-2
吸収冷凍水機	HAU-BGH700 EXWSP	2,461	700	2,264	162.0	210.3	40.6	1,827	2,372	16.7	16.2	16.7	16.2	1.34	1.34	B-2
吸収冷凍水機	HAU-BGH800 EXWSP	2,813	800	2,695	185.1	250.4	40.6	2,088	2,824	19.8	19.4	19.8	19.4	1.33	1.33	B-2
吸収冷凍水機	HAU-BGH900 EXWSP	3,165	900	2,695	208.3	250.4	40.6	2,349	2,824	19.8	19.4	19.8	19.4	1.34	1.34	B-2
吸収冷凍水機	HAU-BGH1000 EXWSP	3,516	1,000	3,256	231.4	302.5	40.6	2,610	3,412	21.0	20.7	21.0	20.7	1.34	1.34	B-2
吸収冷凍水機	HAU-BGH1120 EXWSP	3,938	1,120	3,256	259.2	302.5	40.6	2,923	3,412	21.0	20.7	21.0	20.7	1.34	1.34	B-2
吸収冷凍水機	HAU-BGH450 EXWS	1,582	450	1,613	104.1	149.9	40.6	1,175	1,690	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷凍水機	HAU-BGH500 EXWS	1,758	500	1,613	115.7	149.9	40.6	1,305	1,690	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷凍水機	HAU-BGH560 EXWS	1,969	560	1,936	129.6	179.9	40.6	1,462	2,029	14.9	14.3	14.9	14.3	1.33	1.33	B-2
吸収冷凍水機	HAU-BGH630 EXWS	2,215	630	1,936	145.8	179.9	40.6	1,644	2,029	14.9	14.3	14.9	14.3	1.34	1.34	B-2
吸収冷凍水機	HAU-BGH700 EXWS	2,461	700	2,264	162.0	210.3	40.6	1,827	2,372	16.7	16.2	16.7	16.2	1.34	1.34	B-2
吸収冷凍水機	HAU-BGH800 EXWS	2,813	800	2,695	185.1	250.4	40.6	2,088	2,824	19.8	19.4	19.8	19.4	1.33	1.33	B-2
吸収冷凍水機	HAU-BGH900 EXWS	3,165	900	2,695	208.3	250.4	40.6	2,349	2,824	19.8	19.4	19.8	19.4	1.34	1.34	B-2
吸収冷凍水機	HAU-BGH1000 EXWS	3,516	1,000	3,256	231.4	302.5	40.6	2,610	3,412	21.0	20.7	21.0	20.7	1.34	1.34	B-2
吸収冷凍水機	HAU-BGH1120 EXWS	3,938	1,120	3,256	259.2	302.5	40.6	2,923	3,412	21.0	20.7	21.0	20.7	1.34	1.34	B-2
吸収冷凍水機	HAU-CGN450 EXWSPA	1,582	450	1,291	101.9	119.9	40.6	1,149	1,353	13.9	13.5	13.9	13.5	1.36	1.36	B-2
吸収冷凍水機	HAU-CGN500 EXWSPA	1,758	500	1,291	113.2	119.9	40.6	1,277	1,353	13.9	13.5	13.9	13.5	1.36	1.36	B-2
吸収冷凍水機	HAU-CGN560 EXWSPA	1,969	560	1,613	126.8	149.9	40.6	1,430	1,690	14.9	14.3	14.9	14.3	1.36	1.36	B-2
吸収冷凍水機	HAU-CGN630 EXWSPA	2,215	630	1,613	142.7	149.9	40.6	1,609	1,690	14.9	14.3	14.9	14.3	1.36	1.36	B-2
吸収冷凍水機	HAU-CGN700 EXWSPA	2,461	700	1,936	158.5	179.9	40.6	1,7								

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸収式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力 kW	ガス流量(m ³ N/h)		真発熱量 MJ/m ³ N	加熱源消費熱量(kW)		消費電力(kW)				冷房COP 50Hz 60Hz	性能確認方法 の区分	
		kW	USRT		冷房	暖房		冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)			
吸収冷温水機	HAU-CGN630 EXWSP	2,215	630	1,613	145.8	149.9	40.6	1,644	1,690	14.9	14.3	14.9	14.3	1.34	1.34	B-2
吸収冷温水機	HAU-CGN700 EXWSP	2,461	700	1,936	162.0	179.9	40.6	1,827	2,029	14.9	14.3	14.9	14.3	1.34	1.34	B-2
吸収冷温水機	HAU-CGN800 EXWSP	2,813	800	2,264	185.1	210.3	40.6	2,088	2,372	19.1	18.8	19.1	18.8	1.34	1.34	B-2
吸収冷温水機	HAU-CGN900 EXWSP	3,165	900	2,264	208.3	210.3	40.6	2,349	2,372	19.1	18.8	19.1	18.8	1.34	1.34	B-2
吸収冷温水機	HAU-CGN1000 EXWSP	3,516	1,000	2,695	231.4	250.4	40.6	2,610	2,824	21.0	20.7	21.0	20.7	1.34	1.34	B-2
吸収冷温水機	HAU-CGN1120 EXWSP	3,938	1,120	2,695	259.2	250.4	40.6	2,923	2,824	28.7	28.7	28.7	28.7	1.33	1.33	B-2
吸収冷温水機	HAU-CGN1250 EXWSP	4,395	1,250	3,256	289.3	302.5	40.6	3,263	3,412	28.7	28.7	28.7	28.7	1.34	1.34	B-2
吸収冷温水機	HAU-CGN450 EXWS	1,582	450	1,291	104.1	119.9	40.6	1,175	1,353	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷温水機	HAU-CGN500 EXWS	1,758	500	1,291	115.7	119.9	40.6	1,305	1,353	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷温水機	HAU-CGN560 EXWS	1,969	560	1,613	129.6	149.9	40.6	1,462	1,690	14.9	14.3	14.9	14.3	1.33	1.33	B-2
吸収冷温水機	HAU-CGN630 EXWS	2,215	630	1,613	145.8	149.9	40.6	1,644	1,690	14.9	14.3	14.9	14.3	1.34	1.34	B-2
吸収冷温水機	HAU-CGN700 EXWS	2,461	700	1,936	162.0	179.9	40.6	1,827	2,029	14.9	14.3	14.9	14.3	1.34	1.34	B-2
吸収冷温水機	HAU-CGN800 EXWS	2,813	800	2,264	185.1	210.3	40.6	2,088	2,372	19.1	18.8	19.1	18.8	1.34	1.34	B-2
吸収冷温水機	HAU-CGN900 EXWS	3,165	900	2,264	208.3	210.3	40.6	2,349	2,372	19.1	18.8	19.1	18.8	1.34	1.34	B-2
吸収冷温水機	HAU-CGN1000 EXWS	3,516	1,000	2,695	231.4	250.4	40.6	2,610	2,824	21.0	20.7	21.0	20.7	1.34	1.34	B-2
吸収冷温水機	HAU-CGN1120 EXWS	3,938	1,120	2,695	259.2	250.4	40.6	2,923	2,824	28.7	28.7	28.7	28.7	1.33	1.33	B-2
吸収冷温水機	HAU-CGN1250 EXWS	4,395	1,250	3,256	289.3	302.5	40.6	3,263	3,412	28.7	28.7	28.7	28.7	1.34	1.34	B-2
吸収冷温水機	HAU-CGH450 EXWSPA	1,582	450	1,613	101.9	149.9	40.6	1,149	1,690	13.9	13.5	13.9	13.5	1.36	1.36	B-2
吸収冷温水機	HAU-CGH500 EXWSPA	1,758	500	1,613	113.2	149.9	40.6	1,277	1,690	13.9	13.5	13.9	13.5	1.36	1.36	B-2
吸収冷温水機	HAU-CGH560 EXWSPA	1,969	560	1,936	126.8	179.9	40.6	1,430	2,029	14.9	14.3	14.9	14.3	1.36	1.36	B-2
吸収冷温水機	HAU-CGH630 EXWSPA	2,215	630	1,936	142.7	179.9	40.6	1,609	2,029	14.9	14.3	14.9	14.3	1.36	1.36	B-2
吸収冷温水機	HAU-CGH700 EXWSPA	2,461	700	2,264	158.5	210.3	40.6	1,788	2,372	16.7	16.2	16.7	16.2	1.36	1.36	B-2
吸収冷温水機	HAU-CGH800 EXWSPA	2,813	800	2,695	181.2	250.4	40.6	2,043	2,824	19.8	19.4	19.8	19.4	1.36	1.36	B-2
吸収冷温水機	HAU-CGH900 EXWSPA	3,165	900	2,695	203.8	250.4	40.6	2,298	2,824	19.8	19.4	19.8	19.4	1.37	1.37	B-2
吸収冷温水機	HAU-CGH1000 EXWSPA	3,516	1,000	3,256	226.4	302.5	40.6	2,554	3,412	21.0	20.7	21.0	20.7	1.37	1.37	B-2
吸収冷温水機	HAU-CGH1120 EXWSPA	3,938	1,120	3,256	253.6	302.5	40.6	2,860	3,412	21.0	20.7	21.0	20.7	1.37	1.37	B-2
吸収冷温水機	HAU-CGH450 EXWSA	1,582	450	1,613	101.9	149.9	40.6	1,149	1,690	13.9	13.5	13.9	13.5	1.36	1.36	B-2
吸収冷温水機	HAU-CGH500 EXWSA	1,758	500	1,613	113.2	149.9	40.6	1,277	1,690	13.9	13.5	13.9	13.5	1.36	1.36	B-2
吸収冷温水機	HAU-CGH560 EXWSA	1,969	560	1,936	126.8	179.9	40.6	1,430	2,029	14.9	14.3	14.9	14.3	1.36	1.36	B-2
吸収冷温水機	HAU-CGH630 EXWSA	2,215	630	1,936	142.7	179.9	40.6	1,609	2,029	14.9	14.3	14.9	14.3	1.36	1.36	B-2
吸収冷温水機	HAU-CGH700 EXWSA	2,461	700	2,264	158.5	210.3	40.6	1,788	2,372	16.7	16.2	16.7	16.2	1.36	1.36	B-2
吸収冷温水機	HAU-CGH800 EXWSA	2,813	800	2,695	181.2	250.4	40.6	2,043	2,824	19.8	19.4	19.8	19.4	1.36	1.36	B-2
吸収冷温水機	HAU-CGH900 EXWSA	3,165	900	2,695	203.8	250.4	40.6	2,298	2,824	19.8	19.4	19.8	19.4	1.37	1.37	B-2
吸収冷温水機	HAU-CGH1000 EXWSA	3,516	1,000	3,256	226.4	302.5	40.6	2,554	3,412	21.0	20.7	21.0	20.7	1.37	1.37	B-2
吸収冷温水機	HAU-CGH1120 EXWSA	3,938	1,120	3,256	253.6	302.5	40.6	2,860	3,412	21.0	20.7	21.0	20.7	1.37	1.37	B-2
吸収冷温水機	HAU-CGH450 EXWSP	1,582	450	1,613	104.1	149.9	40.6	1,175	1,690	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷温水機	HAU-CGH500 EXWSP	1,758	500	1,613	115.7	149.9	40.6	1,305	1,690	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷温水機	HAU-CGH560 EXWSP	1,969	560	1,936	129.6	179.9	40.6	1,462	2,029	14.9	14.3	14.9	14.3	1.33	1.33	B-2
吸収冷温水機	HAU-CGH630 EXWSP	2,215	630	1,936	145.8	179.9	40.6	1,644	2,029	14.9	14.3	14.9	14.3	1.34	1.34	B-2
吸収冷温水機	HAU-CGH700 EXWSP	2,461	700	2,264	162.0	210.3	40.6	1,827	2,372	16.7	16.2	16.7	16.2	1.34	1.34	B-2
吸収冷温水機	HAU-CGH800 EXWSP	2,813	800	2,695	185.1	250.4	40.6	2,088	2,824	19.8	19.4	19.8	19.4	1.33	1.33	B-2
吸収冷温水機	HAU-CGH900 EXWSP	3,165	900	2,695	208.3	250.4	40.6	2,349	2,824	19.8	19.4	19.8	19.4	1.34	1.34	B-2
吸収冷温水機	HAU-CGH1000 EXWSP	3,516	1,000	3,256	231.4	302.5	40.6	2,610	3,412	21.0	20.7	21.0	20.7	1.34	1.34	B-2
吸収冷温水機	HAU-CGH1120 EXWSP	3,938	1,120	3,256	259.2	302.5	40.6	2,923	3,412	21.0	20.7	21.0	20.7	1.34	1.34	B-2
吸収冷温水機	HAU-CGH450 EXWS	1,582	450	1,613	104.1	149.9	40.6	1,175	1,690	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷温水機	HAU-CGH500 EXWS	1,758	500	1,613	115.7	149.9	40.6	1,305	1,690	13.9	13.5	13.9	13.5	1.33	1.33	B-2
吸収冷温水機	HAU-CGH560 EXWS	1,969	560	1,936	129.6	179.9	40.6	1,462	2,029	14.9	14.3	14.9	14.3	1.33	1.33	B-2
吸収冷温水機	HAU-CGH630 EXWS	2,215	630	1,936	145.8	179.9	40.6	1,644	2,029	14.9	14.3	14.9	14.3	1.34	1.34	B-2
吸収冷温水機	HAU-CGH700 EXWS	2,461	700	2,264	162.0	210.3	40.6	1,827	2,372	16.7	16.2	16.7	16.2	1.34	1.34	B-2
吸収冷温水機	HAU-CGH800 EXWS	2,813	800	2,695	185.1	250.4	40.6	2,088	2,824	19.8	19.4	19.8	19.4	1.33	1.33	B-2
吸収冷温水機	HAU-CGH900 EXWS	3,165	900	2,695	208.3	250.4	40.6	2,349	2,824	19.8	19.4	19.8	19.4	1.34	1.34	B-2
吸収冷温水機	HAU-CGH1000 EXWS	3,516	1,000	3,256	231.4	302.5	40.6	2,610	3,412	21.0	20.7	21.0	20.7	1.34	1.34	B-2
吸収冷温水機	HAU-CGH1120 EXWS	3,938	1,120	3,256	259.2	302.5	40.6	2,923	3,412	21.0	20.7	21.0	20.7	1.34	1.34	B-2

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸気式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力		油流量(kg/h)-灯油	真発熱量 kJ/kg	加熱源消費熱量(kW)		消費電力(kW)				性能確認方法 の区分		
		kW	USRT	冷房	暖房			冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)			
吸気式冷凍機	HAU-BKN450 EXWSPA	1,582	450	1,291	94.8	111.9	43,500	1,145	1,352	13.8	13.3	13.8	13.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN500 EXWSPA	1,758	500	1,291	105.3	111.9	43,500	1,273	1,352	13.8	13.3	13.8	13.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN560 EXWSPA	1,969	560	1,613	118.0	139.8	43,500	1,425	1,690	17.6	16.5	17.6	16.5	1.36	1.37	B-2
吸気式冷凍機	HAU-BKN630 EXWSPA	2,215	630	1,613	132.7	139.8	43,500	1,603	1,690	17.6	16.5	17.6	16.5	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN700 EXWSPA	2,461	700	1,936	147.4	167.8	43,500	1,782	2,028	19.5	18.6	19.5	18.6	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN800 EXWSPA	2,813	800	2,264	168.5	196.3	43,500	2,036	2,371	22.0	21.3	22.0	21.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN900 EXWSPA	3,165	900	2,264	189.6	196.3	43,500	2,291	2,371	22.0	21.3	22.0	21.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN1000 EXWSPA	3,516	1,000	2,695	210.6	233.6	43,500	2,545	2,823	22.0	21.3	22.0	21.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN1120 EXWSPA	3,938	1,120	2,695	235.9	233.6	43,500	2,851	2,823	29.8	29.3	29.8	29.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN1250 EXWSPA	4,395	1,250	3,256	263.3	282.3	43,500	3,182	3,411	32.2	32.2	32.2	32.2	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN450 EXWSA	1,582	450	1,291	94.8	111.9	43,500	1,145	1,352	13.8	13.3	13.8	13.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN500 EXWSA	1,758	500	1,291	105.3	111.9	43,500	1,273	1,352	13.8	13.3	13.8	13.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN560 EXWSA	1,969	560	1,613	118.0	139.8	43,500	1,425	1,690	17.6	16.5	17.6	16.5	1.36	1.37	B-2
吸気式冷凍機	HAU-BKN630 EXWSA	2,215	630	1,613	132.7	139.8	43,500	1,603	1,690	17.6	16.5	17.6	16.5	1.36	1.37	B-2
吸気式冷凍機	HAU-BKN700 EXWSA	2,461	700	1,936	147.4	167.8	43,500	1,782	2,028	19.5	18.6	19.5	18.6	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN800 EXWSA	2,813	800	2,264	168.5	196.3	43,500	2,036	2,371	22.0	21.3	22.0	21.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN900 EXWSA	3,165	900	2,264	189.6	196.3	43,500	2,291	2,371	22.0	21.3	22.0	21.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN1000 EXWSA	3,516	1,000	2,695	210.6	233.6	43,500	2,545	2,823	22.0	21.3	22.0	21.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN1120 EXWSA	3,938	1,120	2,695	235.9	233.6	43,500	2,851	2,823	29.8	29.3	29.8	29.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN1250 EXWSA	4,395	1,250	3,256	263.3	282.3	43,500	3,182	3,411	32.2	32.2	32.2	32.2	1.37	1.37	B-2
吸気式冷凍機	HAU-BKN450 EXWSP	1,582	450	1,291	97.2	111.9	43,500	1,175	1,352	13.8	13.3	13.8	13.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN500 EXWSP	1,758	500	1,291	108.0	111.9	43,500	1,305	1,352	13.8	13.3	13.8	13.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN560 EXWSP	1,969	560	1,613	121.0	139.8	43,500	1,462	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN630 EXWSP	2,215	630	1,613	136.1	139.8	43,500	1,644	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN700 EXWSP	2,461	700	1,936	151.2	167.8	43,500	1,827	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN800 EXWSP	2,813	800	2,264	172.8	196.3	43,500	2,088	2,371	22.0	21.3	22.0	21.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN900 EXWSP	3,165	900	2,264	194.4	196.3	43,500	2,349	2,371	22.0	21.3	22.0	21.3	1.33	1.34	B-2
吸気式冷凍機	HAU-BKN1000 EXWSP	3,516	1,000	2,695	216.0	233.6	43,500	2,610	2,823	22.0	21.3	22.0	21.3	1.34	1.34	B-2
吸気式冷凍機	HAU-BKN1120 EXWSP	3,938	1,120	2,695	241.9	233.6	43,500	2,923	2,823	29.8	29.3	29.8	29.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN1250 EXWSP	4,395	1,250	3,256	270.0	282.3	43,500	3,263	3,411	32.2	32.2	32.2	32.2	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN450 EXWS	1,582	450	1,291	97.2	111.9	43,500	1,175	1,352	13.8	13.3	13.8	13.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN500 EXWS	1,758	500	1,291	108.0	111.9	43,500	1,305	1,352	13.8	13.3	13.8	13.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN560 EXWS	1,969	560	1,613	121.0	139.8	43,500	1,462	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN630 EXWS	2,215	630	1,613	136.1	139.8	43,500	1,644	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN700 EXWS	2,461	700	1,936	151.2	167.8	43,500	1,827	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN800 EXWS	2,813	800	2,264	172.8	196.3	43,500	2,088	2,371	22.0	21.3	22.0	21.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN900 EXWS	3,165	900	2,264	194.4	196.3	43,500	2,349	2,371	22.0	21.3	22.0	21.3	1.33	1.34	B-2
吸気式冷凍機	HAU-BKN1000 EXWS	3,516	1,000	2,695	216.0	233.6	43,500	2,610	2,823	22.0	21.3	22.0	21.3	1.34	1.34	B-2
吸気式冷凍機	HAU-BKN1120 EXWS	3,938	1,120	2,695	241.9	233.6	43,500	2,923	2,823	29.8	29.3	29.8	29.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKN1250 EXWS	4,395	1,250	3,256	270.0	282.3	43,500	3,263	3,411	32.2	32.2	32.2	32.2	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH450 EXWSPA	1,582	450	1,613	94.8	139.8	43,500	1,145	1,690	15.6	15.0	15.6	15.0	1.36	1.36	B-2
吸気式冷凍機	HAU-BKH500 EXWSPA	1,758	500	1,613	105.3	139.8	43,500	1,273	1,690	15.6	15.0	15.6	15.0	1.36	1.37	B-2
吸気式冷凍機	HAU-BKH560 EXWSPA	1,969	560	1,936	118.0	167.8	43,500	1,425	2,028	19.5	18.3	19.5	18.3	1.36	1.36	B-2
吸気式冷凍機	HAU-BKH630 EXWSPA	2,215	630	1,936	132.7	167.8	43,500	1,603	2,028	19.5	18.3	19.5	18.3	1.36	1.37	B-2
吸気式冷凍機	HAU-BKH700 EXWSPA	2,461	700	2,264	147.4	196.3	43,500	1,782	2,371	19.5	18.3	19.5	18.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKH800 EXWSPA	2,813	800	2,695	168.5	233.6	43,500	2,036	2,823	22.0	21.3	22.0	21.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKH900 EXWSPA	3,165	900	2,695	189.6	233.6	43,500	2,291	2,823	22.0	21.3	22.0	21.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKH1000 EXWSPA	3,516	1,000	2,695	210.6	282.3	43,500	2,545	3,411	25.7	25.0	25.7	25.0	1.37	1.37	B-2
吸気式冷凍機	HAU-BKH1120 EXWSPA	3,938	1,120	3,256	235.9	282.3	43,500	2,851	3,411	32.2	32.2	32.2	32.2	1.37	1.37	B-2
吸気式冷凍機	HAU-BKH450 EXWSP	1,582	450	1,613	97.2	139.8	43,500	1,175	1,690	15.6	15.0	15.6	15.0	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH500 EXWSP	1,758	500	1,613	108.0	139.8	43,500	1,305	1,690	15.6	15.0	15.6	15.0	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH560 EXWSP	1,969	560	1,936	121.0	167.8	43,500	1,462	2,028	19.5	18.3	19.5	18.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH630 EXWSP	2,215	630	1,936	136.1	167.8	43,500	1,644	2,028	19.5	18.3	19.5	18.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH700 EXWSP	2,461	700	2,264	151.2	196.3	43,500	1,827	2,371	19.5	18.3	19.5	18.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH800 EXWSP	2,813	800	2,695	172.8	233.6	43,500	2,088	2,823	22.0	21.3	22.0	21.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH900 EXWSP	3,165	900	2,695	194.4	233.6	43,500	2,349	2,823	22.0	21.3	22.0	21.3	1.33	1.34	B-2
吸気式冷凍機	HAU-BKH1000 EXWSP	3,516	1,000	3,256	216.0	282.3	43,500	2,610	3,411	25.7	25.0	25.7	25.0	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH1120 EXWSP	3,938	1,120	3,256	241.9	282.3	43,500	2,923	3,411	32.2	32.2	32.2	32.2	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH450 EXWS	1,582	450	1,613	97.2	139.8	43,500	1,175	1,690	15.6	15.0	15.6	15.0	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH500 EXWS	1,758	500	1,613	108.0	139.8	43,500	1,305	1,690	15.6	15.0	15.6	15.0	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH560 EXWS	1,969	560	1,936	121.0	167.8	43,500	1,462	2,028	19.5	18.3	19.5	18.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH630 EXWS	2,215	630	1,936	136.1	167.8	43,500	1,644	2,028	19.5	18.3	19.5	18.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH700 EXWS	2,461	700	2,264	151.2	196.3	43,500	1,827	2,371	19.5	18.3	19.5	18.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH800 EXWS	2,813	800	2,695	172.8	233.6	43,500	2,088	2,823	22.0	21.3	22.0	21.3	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH900 EXWS	3,165	900	2,695	194.4	233.6	43,500	2,349	2,823	22.0	21.3	22.0	21.3	1.33	1.34	B-2
吸気式冷凍機	HAU-BKH1000 EXWS	3,516	1,000	3,256	216.0	282.3	43,500	2,610	3,411	25.7	25.0	25.7	25.0	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH1120 EXWS	3,938	1,120	3,256	241.9	282.3	43,500	2,923	3,411	32.2	32.2	32.2	32.2	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH1250 EXWS	4,395	1,250	3,256	270.0	282.3	43,500	3,182	3,411	32.2	32.2	32.2	32.2	1.33	1.33	B-2
吸気式冷凍機	HAU-BKH450 EXWSA	1,582	450	1,291	94.8	111.9	43,500	1,145	1,352	13.8	13.3	13.8	13.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKH500 EXWSA	1,758	500	1,291	105.3	111.9	43,500	1,273	1,352	13.8	13.3	13.8	13.3	1.37	1.37	B-2
吸気式冷凍機	HAU-BKH560 EXWSA	1,969	560	1,613	118.0	139.8										

日立ジョンソンコントロールズ空調株式会社大型冷凍機事業部

吸収式冷凍機 JIS B8622に基づき性能が確認された型式は下記のとおりです。

名称	型式	冷房能力		暖房能力 kW	油流量(kg/h)-灯油-		真発熱量 kJ/kg	加熱源消費熱量(kW)		消費電力(kW)				冷房COP 50Hz 60Hz	性能確認方法 の区分	
		kW	USRT		冷房	暖房		冷房	暖房	冷房(50Hz)	冷房(60Hz)	暖房(50Hz)	暖房(60Hz)			
吸収冷凍水機	HAU-CKN630 EXWSP	2,215	630	1,613	136.1	139.8	43,500	1,644	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN700 EXWSP	2,461	700	1,936	151.2	167.8	43,500	1,827	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN800 EXWSP	2,813	800	2,264	172.8	196.3	43,500	2,088	2,371	22.0	21.3	22.0	21.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN900 EXWSP	3,165	900	2,264	194.4	196.3	43,500	2,349	2,371	22.0	21.3	22.0	21.3	1.33	1.34	B-2
吸収冷凍水機	HAU-CKN1000 EXWSP	3,516	1,000	2,695	216.0	233.6	43,500	2,610	2,823	22.0	21.3	22.0	21.3	1.34	1.34	B-2
吸収冷凍水機	HAU-CKN1120 EXWSP	3,938	1,120	2,695	241.9	233.6	43,500	2,923	2,823	29.8	29.3	29.8	29.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN1250 EXWSP	4,395	1,250	3,256	270.0	282.3	43,500	3,263	3,411	32.2	32.2	32.2	32.2	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN450 EXWS	1,582	450	1,291	97.2	111.9	43,500	1,175	1,352	13.8	13.3	13.8	13.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN500 EXWS	1,758	500	1,291	108.0	111.9	43,500	1,305	1,352	13.8	13.3	13.8	13.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN560 EXWS	1,969	560	1,613	121.0	139.8	43,500	1,462	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN630 EXWS	2,215	630	1,613	136.1	139.8	43,500	1,644	1,690	17.6	16.5	17.6	16.5	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN700 EXWS	2,461	700	1,936	151.2	167.8	43,500	1,827	2,028	19.5	18.6	19.5	18.6	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN800 EXWS	2,813	800	2,264	172.8	196.3	43,500	2,088	2,371	22.0	21.3	22.0	21.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN900 EXWS	3,165	900	2,264	194.4	196.3	43,500	2,349	2,371	22.0	21.3	22.0	21.3	1.33	1.34	B-2
吸収冷凍水機	HAU-CKN1000 EXWS	3,516	1,000	2,695	216.0	233.6	43,500	2,610	2,823	22.0	21.3	22.0	21.3	1.34	1.34	B-2
吸収冷凍水機	HAU-CKN1120 EXWS	3,938	1,120	2,695	241.9	233.6	43,500	2,923	2,823	29.8	29.3	29.8	29.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKN1250 EXWS	4,395	1,250	3,256	270.0	282.3	43,500	3,263	3,411	32.2	32.2	32.2	32.2	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH450 EXWSPA	1,582	450	1,613	94.8	139.8	43,500	1,145	1,690	15.6	15.0	15.6	15.0	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH500 EXWSPA	1,758	500	1,613	105.3	139.8	43,500	1,273	1,690	15.6	15.0	15.6	15.0	1.36	1.37	B-2
吸収冷凍水機	HAU-CKH560 EXWSPA	1,969	560	1,936	118.0	167.8	43,500	1,425	2,028	19.5	18.3	19.5	18.3	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH630 EXWSPA	2,215	630	1,936	132.7	167.8	43,500	1,603	2,028	19.5	18.3	19.5	18.3	1.36	1.37	B-2
吸収冷凍水機	HAU-CKH700 EXWSPA	2,461	700	2,264	147.4	196.3	43,500	1,782	2,371	19.5	18.3	19.5	18.3	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH800 EXWSPA	2,813	800	2,695	168.5	233.6	43,500	2,036	2,823	22.0	21.3	22.0	21.3	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH900 EXWSPA	3,165	900	2,695	189.6	233.6	43,500	2,291	2,823	22.0	21.3	22.0	21.3	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH1000 EXWSPA	3,516	1,000	3,256	210.6	282.3	43,500	2,545	3,411	25.7	25.0	25.7	25.0	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH1120 EXWSPA	3,938	1,120	3,256	235.9	282.3	43,500	2,851	3,411	32.2	32.2	32.2	32.2	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH450 EXWSA	1,582	450	1,613	94.8	139.8	43,500	1,145	1,690	15.6	15.0	15.6	15.0	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH500 EXWSA	1,758	500	1,613	105.3	139.8	43,500	1,273	1,690	15.6	15.0	15.6	15.0	1.36	1.37	B-2
吸収冷凍水機	HAU-CKH560 EXWSA	1,969	560	1,936	118.0	167.8	43,500	1,425	2,028	19.5	18.3	19.5	18.3	1.36	1.36	B-2
吸収冷凍水機	HAU-CKH630 EXWSA	2,215	630	1,936	132.7	167.8	43,500	1,603	2,028	19.5	18.3	19.5	18.3	1.36	1.37	B-2
吸収冷凍水機	HAU-CKH700 EXWSA	2,461	700	2,264	147.4	196.3	43,500	1,782	2,371	19.5	18.3	19.5	18.3	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH800 EXWSA	2,813	800	2,695	168.5	233.6	43,500	2,036	2,823	22.0	21.3	22.0	21.3	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH900 EXWSA	3,165	900	2,695	189.6	233.6	43,500	2,291	2,823	22.0	21.3	22.0	21.3	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH1000 EXWSA	3,516	1,000	3,256	210.6	282.3	43,500	2,545	3,411	25.7	25.0	25.7	25.0	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH1120 EXWSA	3,938	1,120	3,256	235.9	282.3	43,500	2,851	3,411	32.2	32.2	32.2	32.2	1.37	1.37	B-2
吸収冷凍水機	HAU-CKH450 EXWSP	1,582	450	1,613	97.2	139.8	43,500	1,175	1,690	15.6	15.0	15.6	15.0	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH500 EXWSP	1,758	500	1,613	108.0	139.8	43,500	1,305	1,690	15.6	15.0	15.6	15.0	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH560 EXWSP	1,969	560	1,936	121.0	167.8	43,500	1,462	2,028	19.5	18.3	19.5	18.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH630 EXWSP	2,215	630	1,936	136.1	167.8	43,500	1,644	2,028	19.5	18.3	19.5	18.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH700 EXWSP	2,461	700	2,264	151.2	196.3	43,500	1,827	2,371	19.5	18.3	19.5	18.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH800 EXWSP	2,813	800	2,695	172.8	233.6	43,500	2,088	2,823	22.0	21.3	22.0	21.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH900 EXWSP	3,165	900	2,695	194.4	233.6	43,500	2,349	2,823	22.0	21.3	22.0	21.3	1.33	1.34	B-2
吸収冷凍水機	HAU-CKH1000 EXWSP	3,516	1,000	3,256	216.0	282.3	43,500	2,610	3,411	25.7	25.0	25.7	25.0	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH1120 EXWSP	3,938	1,120	3,256	241.9	282.3	43,500	2,923	3,411	32.2	32.2	32.2	32.2	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH450 EXWS	1,582	450	1,613	97.2	139.8	43,500	1,175	1,690	15.6	15.0	15.6	15.0	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH500 EXWS	1,758	500	1,613	108.0	139.8	43,500	1,305	1,690	15.6	15.0	15.6	15.0	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH560 EXWS	1,969	560	1,936	121.0	167.8	43,500	1,462	2,028	19.5	18.3	19.5	18.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH630 EXWS	2,215	630	1,936	136.1	167.8	43,500	1,644	2,028	19.5	18.3	19.5	18.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH700 EXWS	2,461	700	2,264	151.2	196.3	43,500	1,827	2,371	19.5	18.3	19.5	18.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH800 EXWS	2,813	800	2,695	172.8	233.6	43,500	2,088	2,823	22.0	21.3	22.0	21.3	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH900 EXWS	3,165	900	2,695	194.4	233.6	43,500	2,349	2,823	22.0	21.3	22.0	21.3	1.33	1.34	B-2
吸収冷凍水機	HAU-CKH1000 EXWS	3,516	1,000	3,256	216.0	282.3	43,500	2,610	3,411	25.7	25.0	25.7	25.0	1.33	1.33	B-2
吸収冷凍水機	HAU-CKH1120 EXWS	3,938	1,120	3,256	241.9	282.3	43,500	2,923	3,411	32.2	32.2	32.2	32.2	1.33	1.33	B-2